



METAL ROOFING REPAIR AND RETROFIT CATALOG 2012



Metal Roofing Fasteners and Accessories for exposed fastener and concealed fastener panels. Products for residential and commercial metal roofing.



Steel Building fasteners and components for steel frame building construction.



Post Frame Construction fasteners and components for wood frame building construction. Products for agricultural and commercial post frame buildings.



Commercial and Flat Roofing fasteners and accessories for industrial, residential and commercial flat roofing. Products for built up roofing and tapered roofing systems.



Shingle and Tile Roofing fasteners and accessories for asphalt shingle and clay/concrete and shake tile roofing.



Interior /Exterior Construction fasteners and accessories for general construction. Fasteners for sheetrock, steel framing, exterior siding, masonry construction, decking, flooring and more.



HVAC, Electrical and Plumbing fasteners and components for air conditioning duct manufacturing and installation, hanging electrical and plumbing fixtures, pipe flashings, and radiant flooring.




Miscellaneous multi-use building components and fasteners for residential, commercial, agricultural, industrial and manufactured buildings and shelters.



Order entry or product inquiries:
Toll Free Phone: 855-800-8878
Toll Free Fax: 855-800-8877
Website: www.directmetalsinc.com

Thank you for downloading the 2012 Direct Metals, Inc. guide to our repair, retrofit, and replacement components for metal roofing. The following pages provide descriptions, images and information on our wide variety of replacement fasteners, repair sealants and tapes, ridgevents, closures, pipe flashings, and skylight replacement panels.

Direct Metals, Inc. has over 30 years experience in bringing the best accessories and fasteners for new construction and retrofit to market. We are a favorite source for wholesale and retail suppliers of building products as well as many OEM building and metal roofing panel manufacturers. Direct Metals, Inc. has approved and tested products that are designed to offer the best mix of quality and cost with an emphasis on American Made and Buy American Plan products.



Corporate address / Southeast Main Service Center:
Direct Metals, Inc.
17600 East Street
N. Ft Myers, FL 33917
Phone: 239-599-8527
Fax: 239-599-8545
Manager Email: andrew@directmetalsinc.com

Midwest/Northeast Main Service Center:
Direct Metals of Indiana
1800 Jim Neu Drive, Suite 2
Plymouth, IN 46563
Phone: 574-935-3644
Fax: 574-935-3643
Manager Email: hal@directmetalsinc.com

We are proud to have over 1000 distributors across the United States of America. These distributors are serviced through our warehousing locations strategically placed to offer fast service and low shipping cost on our quality products.

Our product mix is comprised of tested materials that have proven themselves over time to stand up to harsh climates and return excellent value for your money. We are dedicated to providing fasteners and accessories that are easy to install and that will extend the life of your building, roof, or structure.

Thank you for supporting our distributors and asking your current suppliers if they provide Direct Metals, Inc. products. Please feel free to contact our office to find a distributor in your area. Feel free to call our main office if you have any questions or need you need help choosing the right products for your job.

Direct Metals, Inc. sells materials to distributors and manufacturers only. Sorry, we do not sell directly to contractors, homeowners, or installers; however we can assist you in finding the right product and distributor.

#14 WOODGRIP™ TAPPING SCREW -REPLACEMENT FASTENER -MTW

With bond seal E.P.D.M. washer and VistaCoat coating. Our entry level replacement fastener for old nails, #9, #10 and #12 metal to wood screws. Metal to wood and metal to light gage metal applications. 5/16" Drive w/cutpoint for 1" to 2' length fasteners, longer lengths may have type a point and larger 3/8" drive head. 250 / bag. ZPA are Zinc Plated Type A. 250 / bag

Pull Over	Pull out SPF:	Pull out Plywood	Pull out OSB	Buy American B.A.P: YES
22ga:1092	1-1/2" :	3/4":	23/32":	Shear: 2400
26ga:584	1" : 1013	5/8":	19/32":	Tensile: 3500
24ga:810	1"x4" :	1/2":	5/16" HWH	Torsional: 125 inlbs

Available Sizes

#14 x 1"
#14 x 1-1/2"
#14 x 2"
#14 x 2-1/2"
#14 x 3"
#14 x 4" ZPA
#14 x 6" ZPA

Qty/Box

2,500
2,000
1,500
1,000
1,000
1,000
500

Part#

DMI2V3321GBF
DMI2V3438GBF
DMI2V3531GBF
DMI2A3597GBF
DMI2A3626GBF



#14 ZAC™ TAPPER-REPLACEMENT FASTENER-MTW

With ZAC 20 year warranty head and E.P.D.M. seal washer. A high quality replacement fastener for old nails, #9, #10 and #12 metal to wood screws. Metal to wood and metal to light gage metal applications. 3/8" Hex drive w/cutpoint. See specifications above. TP:AB
Packaged 250 pcs / bag



Available Sizes

#14 x 1"
#14 x 1-1/4" AB SE
#14 x 1-1/2"
#14 x 2"
#14 x 2-1/2"

Qty/Box

2,000
2,000
1,500
1,000
1,000

Part#

DMI2A4395FMF
DMI2A4428FMF
DMI2A4485FMF
DMI2A4513FMF
DMI2A4510FMF

#17 WOODGRIP™ TAPPER - REPLACEMENT FASTENER

With bond seal E.P.D.M. washer and VistaCoat coating. Our entry level replacement fastener old #12 and #14 stitch and lap fasteners. Metal to wood and metal to light gage metal applications. 3/8" Hex drive. Buy American Plan. Packaged 250 pcs / bag. Also #17 Maxiseal Head 2,500/box #17 x 1" 2000 / box Part #DMI2A6040KJF or #17 x 1-1/2" 1,500 / box Part# DMI2A6060KJ



#17 ZAC™ TAPPER - REPLACEMENT FASTENER

With ZAC 20 year warranty head and E.P.D.M. seal washer. A high quality replacement fastener for old #12 and #14 stitch and lap fasteners. Metal to wood and metal to light gage metal applications. 3/8" Hex drive. Buy American Plan. Packaged 250 pcs / bag #17 x 1" 1,500 / box Part # DMI2A8045LFF or #17 x 1-1/2" 1,000 / box Part# DMI2A8066LFF



#14 FULL 304 STAINLESS STEEL - REPLACEMENT FASTENER - MTW

With full 304 stainless steel construction for the ultimate in full corrosion protection. 5/16" or 3/8" drive depending on length and bonded stainless steel / E.P.D.M. washer. A high quality replacement fastener for old nails, #9, #10 and #12 metal to wood screws. Metal to wood and metal to light gauge metal applications. Bulk packaged, not bagged.

Pull Over	Pull out SPF:	Pull out Plywood	Pull out Steel	Buy American B.A.P: YES
22ga:1237	1-1/2" :	3/4":	26GA:647	Shear: 1520
26ga:647	1" : 1013	5/8":	24GA:790	Tensile: 3370
24ga:790	1"x4" :	1/2":	22GA:1237	Torsional: 125 inlbs

Available Sizes

#14 x 1"
#14 x 1-1/2"
#14 x 2"
#14 x 3"
#14 x 4"
#14 x 5"
#14 x 6"

Qty/Box

2,500
2,000

Part#

DMI1864000
DMI1866000
DMI2E0700HP
DMI2E0740HP
DMI2E0780HP
DMI2E0820HP
DMI2E0840HP




#17 FULL 304 STAINLESS STEEL - REPLACEMENT FASTENER

With full 304 stainless steel construction for the ultimate in full corrosion protection. A high quality replacement fastener for old #12 and #14 stitch and lap fasteners. 3/8" Hex drive. Buy American Plan. Packaged 250 pcs / bag #17 x 1" 2000 / box Part# DMI2E1980KP



#17-14 304 STAINLESS STEEL HEAD - REPLACEMENT FASTENER

With 304 stainless steel construction capped head with fully coated shank. Available with 35 year warranty powdercoated paint. A high quality replacement fastener for old #12 and #14 stitch and lap fasteners. 3/8" HWH drive. Buy American Plan. Packaged 50 pcs / bag OR 100 pcs/ bag #17-14 x 1" 1,500 / box Part #DMI1180225



.357 (#21) TAPPING - REPLACEMENT FASTENER

With bonded washer and Zinc plating. Entry level replacement fastener for replacement of large diameter fasteners such as old #14, #17 and #18 fasteners. Metal to wood and metal to metal applications. Pre-drill may be required see your sales person for specifications.

Available in Bulk only.

.351 1" 2000 / box Part# DMI8A357TZ-IMP or .318 x 1" 1,500 / box Part # DMI8A318TZ-IMP



1/4-14 HEAVY DUTY IMPAX™ - REPLACEMENT FASTENER - MTM

With bond seal washer and full VistaCoat coating. Precision forged self drilling points for metal to metal replacement and original installation. Metal to Metal applications up to 8 ga (SD2). Entry level replacement fastener for old #8, #10, and #12 self drilling fasteners. SD#3 and SD#4 have higher drilling capacities up to and including 1/4" thick steel. 5/16" or 3/8" Drive Packaged 250 pcs / bag

Pull Over	Pull out SD3	Pull out SD2	Pull out SD4	Buy American B.A.P: YES
22ga:1079	12ga:1697	12ga:2088	12ga:1913	Shear: 2850
26ga:816	14ga:1151	14ga:1312	14ga:1061	Tensile: 3800
24ga:884	16ga:887	16ga:903	16ga:707	Torsional:150inlbs



Available Sizes	Qty/Box	Part#
#14 x 3/4" SD3	2,500	DMI2S5010GBF
#14 x 1" SD2	2,000	DMI2S5171GBF
#14 x 1-1/4" SD3	2,000	DMI2S5201GBF
#14 x 1-1/2" SD3	2,000	DMI2S5251GBF
#14 x 2" SD3	2,000	DMI2S5351GBF
#14 x 2-1/2" SD3	1,500	DMI2S5381GBF
#14 x 3" SD3	750	DMI2S5451GBF
1/4-20 x 4" SD4	1,000	DMI2S5621GBF
1/4-20 x 5" SD4	750	DMI2S5641GB
1/4-20 x 7" SD4	500	DMI2S5671GB

Washed box quantities and part numbers shown. All impax Heavy Duty self drill screw are also available without washers for applications such as steel framing.

1/4-14 TEKS™ HEAVY DUTY - REPLACEMENT FASTENER - MTM

The original TEK screw with a worldwide reputation for fast drilling quality self drilling points for metal to metal replacement and original installation. Metal to Metal applications up to 8 ga (SD2). Full Climacoat 1000 hour+ coating, most sizes Made in the U.S.A. Replacement fastener for old #8, #10, and #12 self drilling fasteners. TEKS5 have higher drilling capacities up to and including 1/2" thick steel. Packaged 250 pcs / bag or bulk packaging please specify.

Pull Over	Pull out TEK3 Steel	Pull out TEK3 Steel	Pull out TEK5Steel	Buy American B.A.P: MOST
29ga: 577	26GA:141	16GA:880	16GA:607	Shear: 2600-3310
26ga:637	24GA:231	12GA:1877	3/16:3300	Tensile:4060-5577
24ga:800	22GA:293	3/16":4550	1/4:5059	Torsional:150inlbs



Available Sizes	Qty/Box	Part#
#14 x 3/4" TEK3	3,000	no washer
#14 x 1" TEK3	2,500	DMI1160000
#14 x 1-1/4" TEK3	2,000	DMI1019000
#14 x 1-1/2" TEK3	1,500	DMI1020000
#14 x 2" TEK3	1,000	DMI1021000
#14 x 3" TEK3	750	DMI1022000
1/4-28 x 3" TEK5	1,000	DMI1003000
1/4-28 x 4" TEK5	500	DMI1004000
1/4-28 x 5" TEK5	250	DMI1647000
1/4-28 x 6" TEK5	250	DMI1432000
1/4-28 x 8" TEK5	150	DMI1619000

Washed box quantities and part numbers shown. All TEKS Heavy Duty self drill screws are also available without washers for applications such as steel framing.

1/4-14 ZAC SD HEAVY DUTY - REPLACEMENT FASTENER - MTM

With ZAC 20 warranty longlife head for superior corrosion protection on the head of the fastener. Thick E.P.D.M. seal washer and galvanized shank plating. Precision forged self drilling points for metal to metal replacement and original installation. Metal to Metal applications up to 8 gauge steel. Long life replacement fastener for old #8, #10, and #12 self drilling fasteners. Buy American Plan. 5/16" SD#3 or 3/8" Drive SD#2. See Impax Heavy Duty Self Drill for specifications. Packaged 250 pcs / bag

Available Sizes	Qty/Box	Part#
#14 x 1-1/4" SD3	2,000	DMIS5211FM
#14 x 1-1/2" SD2	2,000	DMIS5287FM



1/4-14 304 STAINLESS STEEL CAPPED HEAD HEAVY DUTY - REPLACEMENT FASTENER - MTM

With a 304 series stainless steel capped head with a lifetime warranty against red rust. Thick E.P.D.M. seal washer and fully coated Climaseal shank. TEKS™ self drilling points for metal to metal replacement and original installation. Metal to Metal applications up to 8 gauge steel. Long life replacement fastener for old #8, #10, and #12 self drilling fasteners. See TEKS™ Heavy Duty Self Drill for specifications. Available with 35 year warranty powdercoat paint. Made in the U.S.A. Packaged 250 pcs / bag

Available Sizes	Qty/Box	Part#
#14 x 1-1/4" TEK3	2,000	DMI1616000



7108 PERMATHANE™ PREMIUM POLYURETHANE SEALANT

Permthane® SM7108 is a one component, gun-grade, non-sag, moisture-cure polyurethane sealant. This High Performance product is designed with outstanding UV resistance and long term durability with a proven record in tough climates around the world. Permthane is the choice of true professional installers. 7108 Permthane is an excellent repair sealant due to its moisture cure properties. Permthane can be installed underwater or damp areas and achieve 95% of its full bonding capability. Ideal for mill finish and painted metal roofing panels, window installation, gutter installation and repair and much more. Premium antifungal agents and bonding capabilities.

- Accommodates 50% joint movement
- Easy to gun - Easy to tool
- Permanently flexible
- Paintable – non-sticky after cure
- VOC compliant
- Extra strong bonding, that borders on adhesive sealant properties
- Primerless adhesion to construction substrates, including galvanized steel, aluminum, concrete, glass, Galvalume®, Zinalume®, Kynar 500®, wood, vinyl, and fiberglass

TYPICAL USES:

- Expansion wall joints
- Tilt-wall joints
- Perimeter joints around windows and doors
- Masonry expansion joints
- Flashings
- Gutter installation and repair
- Air conditioning mounts
- Metal Roofing
- Sealing Damp areas
- Sealing around roof and wall penetrations
- Bedding window mounting flanges

Standard packaging is 30 (300ml) tubes/cartridges per carton. Available colors include: Almond (DMSMP7108A), Bronze (DMSM7108B), Gray (DMSM7108G), White (DMSM7108W) 20 oz sausages, 5 gallon pails, and 50 gallon drum packaging available (minimums and lead time applies)



7108 Permthane is Direct Metals, Inc. suggested sealant for installation of our metal roofing pipe flashings.

MADE IN THE USA



ACRYLIC BUTYL CAULK, ACRYL-R™ 5430 NON SKINNING /NON SAG SSR SEALANT

SM5430 Acryl-R® is a non-skinning, non-drying sealant based on a unique elastomer that provides a non-stringy consistency and excellent resistance to severe environmental conditions of heat, cold and moisture. **(DO NOT EXPOSE TO SUNLIGHT)** It has excellent cut-off characteristics and is not stringy or messy to apply. It has excellent adhesion to GALVALUME®, GALVALUME PLUS®, ACRYLUME®, ZINCALUME®, KYNAR 500®, siliconized and polyvinyl fluoride painted metals. It has excellent webbing characteristics.

TYPICAL USES:

SM5430 is designed for factory sealing the female lip of a concealed standing seam roof (SSR) rib, as well as wall panels and polyurethane foam panel joints where a positive seal is required in mechanically fixed joints. Specifically formulated for precise application into concealed panel joints for roll forming lines. Excellent for factory sealing standing seam roof panels and end laps. Excellent for sealing between dissimilar metals to prevent electrolysis. Excellent for use as an acoustical sealant. Excellent surface wetting over a wide temperature ranges. Excellent for sealing hidden details in window and door installations; bedding of mounting fins and flashing and sealing end dams and receptor pans.

Standard packaging is 30 (300ml) tubes/cartridges per carton. Color: White Part # DMSM5430WC. Also available in 50 gallon drum with polyliner. (drums/pallet) (minimums and lead times apply) Color: White



MADE IN THE USA



Part# DMSM5430WC

ACRYL-R™ 5522 CLEAR ACRYLIC SEALANT

Clear color ideal for mill finish and painted metal roofing panels. Premium antifungal agents and bonding capabilities. SM5522 Acryl-R® Acrylic Sealant is a solvent release acrylic compound. It exhibits good adhesion to most construction surfaces and remains ductile in the presence of ultraviolet and infrared radiation, making it an excellent general purpose sealant. After cure, it can be painted. Made in the U.S.A.

30 (300ml) tubes/case Part# DMSM5522CC



ACRYL-R™ 5504 NARROW JOINT SEALANT

Acryl-R SM5504 is a one component, acrylic self leveling compound designed to seal mechanically fixed joints. After solvent release, this sealant exhibits a tough ductile mass that fulfills the sealant requirements of window, door, recreational vehicle, cargo trailer and manufactured home details. Made in the U.S.A.

ADVANTAGES:

- Excellent adhesion
- Outstanding UV resistance—non yellowing
- Easy to apply
- Cures to a ductile consistency
- Permanently flexible
- Primerless adhesion to construction substrates, including anodized and mill finish aluminum, galvanized steel, fiberglass, many plastics and rubber roofs.

30 (300ml) tubes per carton. (Aluminum) Part# DMSM5504A
Also available in pint cans pails, 5 and 50 gal DRUMS. Special order.
Available colors: Aluminum, Black, Bronze, Beige, White and Clear.

POLY-GLAZE™ PLUS CLEAR SILICONE SEALANT

SM5731 Poly-Glaze™ Plus Silicone is a one component, medium modulus, non-corrosive silicone sealant designed to seal glazing details found in contemporary fenestration fabrication and installation. This neutral cure silicone exhibits excellent adhesion to PVC, aluminum, glass and a variety of painted surfaces without priming. It is suitable for glazing silicone bonded insulating glass units where acetoxysilicone sealant cannot be used. It has a very low odor factor, and cures to a flexible, resilient rubber when exposed to moisture in the atmosphere. The tack-free time and early strength characteristics are excellent, allowing movement of fabricated unit without bond-line failure. SM5731 Poly-Glaze™ Plus Silicone Sealant is designed for use as a back bedding sealant for drop-in glazing, and as an installation sealant for perimeter and bedding joints.

30 (300ml) tubes/case

Part# DMSM5731C

FIRETHANE™ 7140 FIRE-RATED SEALANT

Firethane 7140 is a one component, low modulus, gun grade, non-sag, moisture-cure polyurethane sealant with outstanding UV resistance. Firethane is designed to cure into a fire rated, elastic weatherproof seal. A tack free skin in 2 to 4 hours at normal conditions. Accommodates 50% total joint movement while maintaining excellent weatherability. Designed for sealing joints where a high performance fire rated seal is required: Expansion and construction joints, Tilt-wall joints, Sealing in conjunction with fire collars or pillows, perimeter joints around windows and doors, masonry expansion joints, between dissimilar metals, between construction materials of dissimilar expansion coefficients, and acoustical applications. Packaging (600ml) sausages. Special order, lead time will apply. Gray Color Part # DMSM714GS



TACKY TAPE™ PREMIUM BUTYL TAPE

Tacky tape has a long standing reputation as the best on the market for performance, longevity and resistance to fungal attacks. Tacky Tape® is a 100% solids, asbestos-free butyl tape sealant that is a highly rubbery, tacky, reinforced compound designed for sealing metal lap joints in metal building industry. It is easy to apply and compress during installation. It exhibits excellent application and performance characteristics over a wide temperature range and will not become brittle, crack or flow during service. It is available in various sizes supplied in ready-to-use rolls. It is also available in double and triple bead rolls.

Tacky Tape® is designed to seal and prevent the entry of dust, air and moisture and assure a weather tight seal in metal building details.

- Metal roofing rib and lap joints
- Standing seam roof endlaps
- Sealing roof curbs, roof jacks and skylights
- Sealing polyethylene sheeting
- Sealing air conditioning equipment
- Window and door flanges

ADVANTAGES:

- Excellent for Galvalume, Zincalume and KYNAR 500
- Will not corrode Galvalume, Galvalume Plus or KYNAR
- Meets ASTM and Federal standards
- Resistant to ultraviolet and infrared radiations, precipitation atmospheric hydrocarbon contamination and extremes in temperature.
- Adheres to oily Galvalume
- Contains a fungicide to protect itself from mildew growth
- Non-staining
- Permanently flexible

Standard stock sizes include

Size	Qty/Box	Part#
3/32 x 3/8" x 45'	40	DMSM52271226
3/32 x 1/2" x 45'	32	DMSM52271630
3/32 x 3/4" x 45'	24	DMSM52272421
3/32 x 1" x 45'	20	DMSM52273222

Double bead styles

3/16 x 7/8" x 40'	10	DMSM52272843
-------------------	----	--------------

Triple bead styles


3/16 x 7/8" x 25'	8	DMSM52272835
3/16 x 2-1/2" x 20'	6	DMSM52278003



DMISM5196 ROOFING REPAIR TAPE

DMISM 5196 is designed to provide a watertight and airtight seal. Used to repair damaged or deteriorated roof areas and re-seaming all roof materials. Popular for repairs on metal roofing panels due to its excellent adhesion and no bleed out Tacky Tape adhesive that eliminates streaking coming from the product that you might experience from competing products. Also used for sealing interior and exterior air duct, gutters, awnings, pond liners, wrapping pipe connections to protect against corrosion in tough environments and as a flashing around windows and doors.

The Tacky tape™ adhesive has a long standing reputation as the best on the market for performance, longevity and resistance to fungal attacks. Tacky Tape® is a 100% solids, asbestos-free butyl tape sealant that is a highly rubbery, tacky, reinforced compound. It exhibits excellent application and performance characteristics over a wide temperature range and will not become brittle, crack or flow during service.



MADE IN THE USA



ADVANTAGES:

- Can be installed in damp areas even to clean surfaces underwater to stop or prevent leaks
- Excellent for Galvalume, Zincalume and KYNAR 500
- Adheres to oily Galvalume
- Non-staining
- Contains a fungicide to protect itself from mildew growth
- Tenacious adhesion to virtually all roof substrates, concrete, asphalt, PVC, E.P.D.M., TPO, metals, and urethane
- Will not corrode Galvalume, Galvalume Plus or KYNAR
- Meets ASTM and Federal standards, AAMA 711-07, AAMA 804(807).3-08, TT-C-1796A Type 11 Class B
- Permanently flexible and allows for joint movement of up to +/- 25%
- Resistant to ultraviolet and infrared radiations, precipitation atmospheric hydrocarbon contamination, extremes in temperature, water, alcohols, and most chemicals.
- Easy to apply by hand, requiring no premixing or dispensing, room temperature application, no heat is required to activate adhesive and provides instant seal.

Currently available in 4" x 100' rolls with white backing 4 rolls/box

Part# DMSM51964100W

DMISM5196 is available by special order in 6" wide, 12" wide and other custom widths.

DMISM5196 is also available by special order with black HDPE, gloss black TPO, polyester, and foil backing.

Special order minimums and lead times will apply.

DMI COMBO PIPE FLASHINGS

New combination design that can be used in the same applications as our standard DMI pipe flashings for metal roofing with one twist. The DMI combo pipe flashings can be cut, wrapped around the penetration and sealed up like a retrofit flashing. The DMI combo pipe flashings save time and money, and allow you to reduce the amount of parts you stock for metal roofing pipe applications. Manufactured in E.P.D.M. rubber construction with a 20 year warranty. Stainless steel metal clamps are available for purchase for resealing in retrofit applications. Temperature range up to constant 212 deg F. High Temp also available.

#8 High Temp now available in Gray Silicone for temp range up to 450 deg F

Size	Fits Pipes	Base	Qty/Box	Part#
#3	1/4" - 4"	8"	15	DM3CG
#4	3" - 6"	10"	10	DM4CG
#5	4" - 7"	11"	10	DM5CG
#6	5" - 9"	12"	10	DM6CG
#7	6" - 11"	14"	10	DM7CG
#8	7" - 13"	17"	5	DM8CG
#9	10" - 18"	25-3/8"	2	DM9CG
#8	7" - 13" High Temp Gray		5	DM8CHG



DMI ROUND RETROFIT FLASHINGS - (Zipperboot)

Designed to water proof electrical conduit, masts, service poles and collared pipe penetrations through metal roofing panels. Feature stainless steel fastening teeth and aluminum fastening ring with grooved sealant holding base. Extra thick E.P.D.M. rubber construction with UPC approval and 20 year warranty. Standard gray to be used on mill finish metal roofing, also available in black. Temperature range up to constant 212 deg F. Also available in High Temp white up to 450 deg F.

*** NOW AVAILABLE IN WHITE HIGH TEMP #802 - DM802W ***



Size	Fits	Base	Qty/Box	Part#GR
#801	1/4" - 2-3/4"	6-3/10"	10	DM801G
#802	2" - 7-1/4"	10-3/4"	5	DM802G
#803	3-1/4" - 10"	14-1/2"	5	DM803G
#804	9-1/4" - 16-3/4"	30" X 26"	1 SQ	DM804G

Size	Fits	Base	Qty/Box	Part#BL
#801	1/4" - 2-3/4"	6-3/10"	10	DM801B
#802	2" - 7-1/4"	10-3/4"	5	DM802B
#803	3-1/4" - 10"	14-1/2"	5	DM803B

Size	Fits	Base	Qty/Box	Part#WT
#802	2" - 7-1/4"	10-3/4"	5	DM802W

DMI SQUARE BASE RETROFIT FLASHINGS

Designed to water proof electrical conduit, masts, service poles and collared pipe penetrations through metal roofing panels. Feature corrosion resistant band and rivets for fastening. Light Gray, square base E.P.D.M. rubber construction with UPC approval and 20 year warranty. Standard gray to be used on mill finish metal roofing, also available in black. Temperature range up to constant 212 deg F for E.P.D.M. Also available in high temperature red silicone. B.A.P.



GREY E.P.D.M.


Size	Fits	Base	Qty/Box	Part#
#101	1/2" - 4"	8"	5	DML101G
#201	4" - 9-1/4"		5	DML201G
#301	9-1/4" - 16-1/4"		5	DML301G

RED HIGH TEMP SILICONE

Size	Fits	Base	Qty/Box	Part#BL
#102	1/2" - 4"	8"	5	DML102H
#202	4" - 9-1/4"		5	DML202H
#302	9-1/4" - 16-1/4"		5	DML302H

SQUARE VENT RETROFIT PIPE FLASHING

Retrofit pipe flashing for square vent or tube penetrations through metal roofing panels. Constructed of black E.P.D.M. with aluminum surround. Side size markings for easy installation
#1 Fits 2-1/2" to 4" pipes packaged 5 pcs/box
With 8" square base Part# DMSR1B
#2 Fits 2-1/2" to 5" pipes packaged 5 pcs/box
With 15-3/4" square base. S/O :Allow 1-2 weeks.



Part# DMLSR2B

DEK-CAP™ END CAP FLASHING

Constructed of gray E.P.D.M. with a 20 year warranty. Applications include skylight, cupola and ridge ends. Flexible, corrosion resistant aluminum base conforms to the majority of standing seam roof panels and commercial metal roofing panels such as PBR panel. 10 pcs per box Part# DM1DC1




LIGHTNING ROD PIPE FLASHING

Designed to weatherproof lightning rod or wire penetrations through metal roofing panels or ridge caps. Easy to use, with the perfect low profile design. Also used in some solar stand applications on metal roofing. Packaged 30 pieces per box. Fits 0" to 1-3/8" Part# DM1RRG



MULTI-PORT MASTER FLASH™

Easy to use 4 in one flashing, up to 4 Cables or Wires per flashing. Stainless steel Gripper to secure in retrofit applications. Accommodates four 1/4" lines and 1 pipe 1/4" - 2-3/4". Black E.P.D.M. 10/box Part# DMLMP101BA Red High temp 10/box Part# DMLMP102RA



DEK-STRIP™ EXPANDABLE EDGED FLASHING STRETCHES TO ANY SHAPE, SEALS, & STAYS

Wraps around almost any profile, paintable after installation, great for large, round pipes. Serpentine edges stretch up to 25% for added length. Handles vibration and expansion, TPE has a continuous service temperature range of -58°F to +240°F

APPLICATIONS INCLUDE:

Large square and round ducts, chimneys, gutter detail, parapet flashings, skylights, expansion joints, stepped roof, dissimilar roof profiles, transition wall, gambrel roof and flash between dissimilar materials.

AVAILABLE SIZES: 7"x75' PN# DMDS775G, 9"x75' PN# DMDS975G, 12"x75' PN# DMDS1275G, 18"x50' Includes 1" x 4" termination strip and 3" x 2" splice tape, fasten at 1-1/2" O.C. PN# DMDS1850G



DMI PIPE FLASHINGS FOR METAL ROOFING

Used to waterproof roof penetrations in metal roofing panels. Feature aluminum fastening ring with grooved sealant holding base. Extra thick E.P.D.M. rubber construction with UPC approval and 20 year warranty. Unique conical shape that provides 1" of rubber seal against the penetrating pipe. Standard gray to be used on mill finish metal roofing, also available in black. Temperature range up to constant 212 deg F.



Size	Fits Pipes	Base	Qty/Box	Part#
Mini	1/8" - 3/4"	Lightng rd30		DMLRRG
#1	1/4" - 2"	4-1/2"	15	DM1RG
#2	1 1/4" - 3"	6"	15	DM2RG
#3	1 1/4" - 4"	8"	15	DM3RG
#4	3" - 6"	10"	10	DM4RG
#5	4" - 7"	11"	10	DM5RG
#6	5" - 9"	12"	10	DM6RG
#7	6" - 11"	14"	10	DM7RG
#8	7" - 13"	17"	5	DM8RG
#9	10" - 18"	25-3/8"	2	DM9RG
#11	15" - 24"	55" x 35"	1	DM11SG

Part #'s above are for standard gray color, to order black replace the G on the end of the part number with a B.

DMSM7108G Permathane™ sealant is suggested for installation.

DMI E.P.D.M. PIPE FLASHINGS FOR METAL ROOFING - LIGHT GREY

Used to waterproof roof penetrations in metal roofing panels. Feature aluminum fastening ring with grooved sealant holding base. Light grey color E.P.D.M. rubber construction with UPC approval and 20 year warranty. Light grey is offered for customer who wish to match the light gray color of #101, #201, and #301 Retrofit flashings. Temperature range up to constant 212 deg F. Available in round or square pyramid style base. Buy American Plan.




Size	Fits Pipes	Base	Qty/Box	Part#
#3	1/4" - 4"	8"	10	DML3GR
#3	1/4" - 4"	SQ 8" x 8"	15	DML3GS
#4	3" - 6"	10"	10	DML4GR
#5	4" - 7"	11"	10	DML5GR
#6	5" - 9"	12"	10	DML6GR
#7	6" - 11"	14"	10	DML7GR
#8	7" - 13"	17"	5	DML8GR
#9	10" - 18"	25-3/8"	5	DML9GR
#10	13" - 26"	SQUARE	2	DML10GS

Part #'s above are for standard light grey round base for square pyramid style please replace the R on the end of the part # with a S.

DMI SQUARE BASE PIPE FLASHINGS

With square base and round cone shape inside that provides 1" of rubber contact with the penetrating pipe. Used to waterproof roof penetrations in metal roofing panels. Feature aluminum fastening ring with grooved sealant holding base. Extra thick E.P.D.M. rubber construction with UPC approval and 20 year warranty. Standard gray to be used on mill finish metal roofing, also available in black. Temperature range up to constant 212 deg F.




Size	Fits Pipes	Base	Qty/Box	Part#
#3	1/4" - 4"	8"	15	DM3SG
#4	3" - 6"	10"	10	DM4SG
#5	4" - 7"	11"	10	DM5SG
#6	5" - 9"	12"	10	DM6SG
#7	6" - 11"	14"	10	DM7SG
#8	7" - 13"	17"	5	DM8SG
#9	10" - 18"	25-3/8"	2	DM9SG
#11	15" - 24"	55" x 35"	1	DM11SG

Part #'s above are for standard gray color, to order black replace the G on the end of the part number with a B.

DMI COLOR MATCH PIPE FLASHINGS

12 colors to choose from to match your metal roofing panel color closer than our standard grey pipe flashings. This is not a painted pipe flashing, the 20 year E.P.D.M. is manufactured in color.

Available in square pyramid style base only except for the copper color that is a round base. Temp range up to constant 212 deg F. #3 size that fits 1/4"-4" pipes is standard all other sizes are special order. Your color /non standard colors can be custom manufactured with a minimum of 500 pipe flashings. Buy American Plan.



Size	Color	Qty/Box	Part#
#3	WHITE	15	DMLSQ301WT
#3	BRIGHT RED	15	DMLSQ301BR
#3	GLOSS BLACK	15	DMLSQ301BA
#3	FOREST GREEN	15	DMLSQ301DG
#3	GALLERY BLUE	15	DMLSQ301DB
#3	LIGHT GREEN	15	DMLSQ301LG
#3	LIGHT BLUE	15	DMLSQ301LB
#3	TERRACOTTA	15	DMLSQ301TC
#3	TAN	15	DMLSQ301TN
#3	BROWN	15	DMLSQ301BN
#3	COPPER (RD)	15	DM9RD301CP

New #802 retrofit pipe flashing now available in white high temp silicone to fit 2" - 7" conduit.

DMI HIGH TEMPERATURE PIPE FLASHINGS

Available in red silicone with a round base to handle temperature spikes of up to 500 deg F. Used to waterproof roof penetrations in extreme temperature metal roofing panel applications. Extra thick silicone construction with UPC approval and 20 year warranty. Temperature range up to constant 450 deg F.



Size	Fits Pipes	Base	Qty/Box	Part#
#3	1/4" - 4"	8"	15	DM3HT
#4	3" - 6"	10"	10	DM4HT
#5	4" - 7"	11"	10	DM5HT
#6	5" - 9"	12"	10	DM6HT
#7	6" - 11"	14"	10	DM7HT
#8	7" - 13"	17"	5	DM8HT
#9	10" - 18"	25-3/8"	5	DM9HT

EXTREME ANGLE PIPE FLASHINGS

Designed for use on extreme pitch metal roofs. Built in 40 degree angle to make installation on extreme pitch roofs quick and easy. Manufactured in a square base, black E.P.D.M. with a temperature range up to constant 212 deg F. fits pipe sizes 1/4" - 5"-3/4" and has a 11" x 11" base. 10/box Part # DMLEA101BA





CLOSURE ROLLS & STRIPS FOR METAL ROOFING

DIRECT*SEAL LONG LIFE UNIVERSAL CLOSURE ROLLS

Universal closure rolls designed to seal gaps in metal roofing, window and door installation. When compressed Direct*Seal will become a water, pest, wind, and dust barrier in valley, hip and other panel to panel or panel to trip applications. Also used to close in gaps around windows and doors to help increase the energy efficiency of your building. Direct*Seal has a 40 yr warranty against UV degradation. Direct*Seal is not an asphalt based product and will not seep or leak out fluid. Direct*Seal will not scratch your panel finish. Direct*Seal has an easy peel adhesive strip for an easy and quick installation. Each roll is individually wrapped.

Available Sizes	Qty/Box	Part#
1" x 1" x 20'	20	DDS101020
1-1/2" x 1-1/2" X 20'	10	DDS151520
2" x 2" x 10'	10	DDS202010



MADE IN THE USA



A10 EXPANDING UNIVERSAL CLOSURE ROLLS

Expandable for sealing valley metal and hip applications. Many other applications to seal gaps between metal panels and trim/flashings. Ships in an compressed roll, expands to fill gaps between mechanically fixed panels and trim.



Available Sizes	Qty/Box	Part#
1" x 1" x 20'	10	DMI211012RC
1" x 1-1/2" X 15'	10	DMI211015RC

DIE CUT CLOSURE STRIPS

Die cut foam closure strips. Designed to fit popular profiles such as 3/4" rib, PBR panel, PBU panel and 5V Crimp metal roofing. Each piece is cut to fit specific panel profiles. Most closures are made to your panel width. Inside closures fit at the eve of the roof the seal the inside of the panel profile. Out closures fit at the ridge line between the outside of the panel and the ridge cap. Available with or without adhesive for an easy quick, and accurate installation. Flat block rectangular shaped closure strips available to fit standing seam metal roofing panels. Made in the U.S.A.



Available Sizes	Qty/Box	Part#
5V inside w/adh	100	DMI2T1281XB
5V outside w/adh	100	DMI2T1282YB
5V inside no adh	100	DMI2T1281AB
5V rib outside no adh	100	DMI2T1282AB
3/4" rib inside w/adh	100	DMI2TO899XB
3/4" rib outside w/adh	100	DMI2TO900YB
3/4" rib inside no adh	100	DMI2TO899AB
3/4" rib outside no adh	100	DMI2TO900AB
PBU inside no adh	100	DMI2TO909AB
PBU outside no adh	100	DMI2TO910AB
PBR inside w/adh	100	DMI2TO678XB
PBR outside w/adh	100	DMI2TO679YB
1" x 1" x 40" no adh	100	DMI2T0003AB
1" x 1-7/8" x 40" noadh	50	DMI2T114AB


DMI FILLERSTRIP PREMIUM CLOSURE STRIPS

PE foam closure strips with UV inhibitors. Designed to fit popular profiles such as 3/4" rib, PBR panel, and 5V Crimp metal roofing. Each piece is cut to fit specific panel profiles. Fillerstrip closures are made to your panel width. Available with or without adhesive for an easy quick, and accurate installation. Made in the U.S.A. Special order minimums apply.

Available Sizes	Qty/Box	Part#
3/4" rib inside w/adh	100	DCL3436IG
3/4" rib outside w/adh	100	DCL3436OG
3/4" rib inside no adh	100	DCL3436IN
3/4" rib outside no adh	100	DCL3436ON
PBR inside w/adh	100	DCL1236IG
PBR outside w/adh	100	DCL1236OG
PBR inside no adh	100	DCL1236IN
PBR outside no adh	100	DCL1236ON

R/PBR METAL RIDGE AND EVE CLOSURE

Closure strips designed to work in conjunction with our 7108 Permathane Sealant or butyl tape to provide a strong weather proof alternative to foam closure strips. Colors available to match your panel colors on request. This is product is F.O.B. FL location only. 10' long pieces
Inside - Part# DM0MRC10GI Outside - Part# DM0MRC10GO



ECONO RIDGE VENTS (10')

10' long ridge vents Steel 29 GA construction. Available only without dampers. 1-1/2" Throat 2" tall, 11-1/2" wide. Built to a 4/12 pitch. **180 sq inch net free area.** Available for order in many different colors. 2 week lead time, made to order. Typically used in continuous post frame construction runs. Ship from Indiana service center only F.O.B. Part# DM0V10180G


ECONO-10 RIDGE VENT
180 SQ. IN. FREE AREA



PRO-10 RIDGE VENTS (10')


10' long ridge vents Steel 29 GA construction Available only without dampers 4-1/2" Throat 6-1/4" tall, 15" wide. Built to a 4/12 pitch. **432 sq inch net free area.** 2 per carton with splice collar and 2 flashings. 2 week lead time, made to order. Typically used in continuous post frame single run. Ship from Indiana service center only F.O.B. Part# DM0V10432G

PRO-10 RIDGE VENT
432.8 NET SQ. IN. FREE AREA



DMI 4' VENT AND 10' SUPERVENT RIDGE VENTS

4' long ridge vents Steel 26 GA construction Available only without dampers. 9" Throat 15" tall, 24" wide. Built to a 4/12 pitch. **415 sq inch net free area.** Available for order in white or galvalume. 2 week lead time, made to order. Typically used in steel buildings, hog buildings, horse riding arenas. Ship from Indiana service center only F.O.B. Part# DM0V40415G







RAZORBACK RIDGEVENT

Long life universal ridge vent rolls for metal roofing panels.
Quick and easy installation directly to ridge cap with peel back adhesive.
Standard Razorback will fit most panels with 1/2" to 1 1/4" tall ribs.
Made in the U.S.A. and code approved for use on metal panels.

- Stock one product to match many roof panel configurations
- Designed for any pitch from 2/12 to 20/12
- Pure polyurethane foam with vinyl coating, UV stabilized and fire retardant
- Tested to withstand 110 MPH wind driven rain.
- 40 year limited warranty
- Does not scratch painted metal surfaces
- Dust free material with convenient packaging and easy installation
- Glue strip for easy installation. * Low profile installed appearance
- Florida Building Code Approved FL# 4640-R1
- Exceeds Dade County requirement of TAS 100A

Available Sizes	Qty/Box	Part#
1-1/2" x 2" x 10'	10	DMIRB1122010
1-3/4" x 2" x 10'	10	DMIRB1342010
2" x 2" x 10'	10	DMIRB2002010



RAZORBACK RIDGEVENT FOR STANDING SEAM METAL ROOFING

Long life ridge vent rolls for standing seam metal roofing panels. Quick and easy installation with peel back adhesive. Standard convoluted Razorback Ridgevent will fit most 1" and 1-1/2" tall standing seam panels. For snaplock and mechanical lock panels of 1-3/4" and 2" height Direct Metals, Inc. offers a non convoluted version of Razorback Ridgevent in solid block form. Made in the U.S.A and code approved for use on metal panels.

Available Sizes	Fits Panel	Part#
1-1/2" x 2" x 10'	1" tall	DRB152010
1-3/4" x 2" x 10'	1-1/2" tall	DRB172010
2" x 2" x 10'	1-3/4" tall	DRB202010
2"-1/4" x 2" x 10'	2" tall	DRB212010



Special installation instructions available for 1-1/2" through 2" tall panels.

PROFILEVENT™ RIDGEVENT FIT FOR METAL RFG

Ridge ventilation rolls precut to match panel profiles. Uv stabilized and fire retardant. Dade County product approved. Available in 50' long rolls (2 rolls per package), each package will cover 50' of running ridge cap. Specifically cut and designed for use with specific screw through and standing seam/concealed panel profiles. Ridgecap anchors suggested for use with this product on standing seam profiles. Now available in 3' long sticks to match 3/4" rib profile upon request.



Available Sizes	Qty/Pkg	Part#
5V Crimp	100Inft	DMI2T1282PV
R/PBR	100Inft	DMI2T0679PV
3/4" RIB	100Inft	DMI2T0900PV
2.67CORR x 7/8"	100Inft	DMI2T0120PV
1" Snaploc SS 12"OC	100Inft	DMI2T1564PV
1" Snaploc SS 16"OC	100Inft	DMI2T1564PV
1-1/2" SL SS 12" OC	100Inft	
1-1/2" SL SS 16" OC	100Inft	
1-3/4" SL SS 12" OC	100Inft	
1-3/4" SL SS 16" OC	100Inft	

Many other profiles available.

PROFILEVENT™ ANCHOR CLIP AND RAZORBACK RIDGE CLIP

ProfileVent anchor clip is designed to be used with ProfileVent in high wind areas and on panels with major ribs 16" on center or greater. Eliminates for cutting of Zee for installation of ridge cap. Painted black for corrosion protection.




Testing observations ProfileVent Anchor Clip:

- No lifting of the ridge cap up to 115 mph
- No fastener pull out or loosening
- The ridge cap remained in contact with ventilation system

Razorback Ridgeclip is constructed of true 18 ga G90 galvanized steel. Designed for installation of ridge cap over Razorback Ridgevent with 1" tall snap lock and nail strip type standing seam / concealed panel metal roofing. Provides a strong base to install ridge cap to eliminating the need for Zee metal at the ridgeline. Made in the U.S.A.

Available Sizes	Qty/Box	Part#
3/4" tall	100	DMI2PV80002
1" tall	100	DMI2PV80004
1-1/4" tall	100	DMI2PV80006
1-1/2" tall	100	DMI2PV80008
1-3/4" tall	100	DMI2PV80010
2-1/2" tall	100	DMI2PV80012





POLYCARBONATE SKYLIGHT PANELS

If you are looking for a quality polycarbonate sheet which features the latest in product technology and which comes with the kind of personal service you need, call Direct Metals, Inc. Our polycarbonate sheets are an effective alternative to traditional glazings in a wide variety of applications including:

Commercial Greenhouses, Home Greenhouse, Office Partitions, Vertical Glazing, Industrial Roofing, Pool Enclosures, Patio Covering, Window Replacement, Metal Buildings, Skylights, Domes, Shelters, Canopies, Sheds, Walkways, Carports, Sunrooms, Sidelites, and Metal Roofing Skylights for commercial, residential and agricultural buildings with metal roofing.

Polycarbonate panels are strong and durable. Direct Metals, Inc. panels are 0.032" thick and have a 10 year warranty against cracking. Special fasteners and accessories for the installation of polycarbonate panels are available and suggested.

Panels are available in standard lengths or cut to the nearest inch in length in two metal roofing profiles MR9 3/4" Rib and MR12 R Panel in clear and opal white. (Bronze color is special order.)

Direct Metals, Inc. knows that the "green movement" is alive and well and customers awareness of the needs for green products is increasing. While Direct Metals, Inc. carries a wide variety of "green" building products this is one of our most popular. Lighting without the use of electricity can be had by installing clear polycarbonate skylight sheets. Direct Metals, Inc. has taken advantage of these and other energy efficient products in our new Florida distribution facility to reduce our energy consumption and now they are available to you through our valued distributors.

Available Sizes	Part#	Service Center
3/4" Rib MR9 Clear 8'	DPCMR9C8	IN, WI
3/4" Rib MR9 Clear 10'	DPCMR9C10	IN, WI
3/4" Rib MR9 Clear 12'	DPCMR9C12	FL, IN, WI
3/4" Rib MR9 Clear 14'	DPCMR9C14	IN, WI
3/4" Rib MR9 Clear 16'	DPCMR9C16	IN, WI
3/4" Rib MR9 Opal 8'	DPCMR9W8	IN, WI
3/4" Rib MR9 Opal 10'	DPCMR9W10	IN, WI
3/4" Rib MR9 Opal 12'	DPCMR9W12	IN, WI
3/4" Rib MR9 Opal 14'	DPCMR9W14	IN, WI
3/4" Rib MR9 Opal 16'	DPCMR9W16	IN, WI
R/PBR MR12 Clear 12'	DPCMR12C12	FL, IN, WI

All custom cut lengths, Bronze/Smoke Color, MR9 2000, MR9 Flat, and Greca profiles ship from WI Service Center.

NAME	OVERALL WIDTH	OVERALL LENGTH	NET COVERAGE	PITCH	DEPTH	THICKNESS
MR 9" 2000	36"	UP TO 39'	36"	9"	.75"	.031"
MR 9"	36"	UP TO 39'	36"	9"	.75"	.031"
MR 9" FLAT	36"	UP TO 39'	36"	9"	.625"	.031"
MR 12"	36"	UP TO 39'	36"	12"	1.25"	.031"
GRECA	26" & 50"	UP TO 39'	24" & 48"	3"	.70"	.031"

CLEAR POLYCARBONATE RIDGECAP

Innovative clear polycarbonate ridge cap available for order in 10'6" lengths. Used to let natural light into buildings at the ridge. This product can be used with Razorback Ridgevent to create a truly energy efficient combination. Special fasteners are available and suggested for installation. Available from FL, IN, and WI service centers. PCRC106C is 10'6" long by 24" wide by 0.047" thick.



Part# DPCRC106C

AGRILITE™ PVC LINER PANELS

Owners of agricultural and light industrial buildings regularly choose the virtually indestructible Agrilite™ PVC Panel for its remarkable durability, ease of installation, and outstanding versatility. Lightweight corrugated panels are easy to handle and require no special equipment for installation. Agrilite™ can be cut using basic woodworking tools and is easy to clean with conventional spray equipment. Corrugated PVC Liner Panels are strong, high-impact panels that naturally resist chemicals. Agrilite™ Corrugated PVC Panels are perfect for use on the most demanding applications. Agrilite panels are backed by a 10 year factory limited warranty, and are available in two panel profiles.

Agrilite Greca 0.032" thickness in bright white with a 36" coverage.
Agrilite MR9 0.039" thickness in bright white with a 36" coverage.

AGRILITE™ PVC TRIM

PVC trim profiles are available to make your installation effortless and improve the look of the finished interior walls and ceilings.




Available Sizes	Part#	Service Center
Agrilite MR9 12'4"	DPVC9124W	IN, WI
Agrilite MR9 16'4"	DPVC9164W	IN, WI
Agrilite MR9 20'4"	DPVC9204W	IN, WI
Agrilite J-Trim 10'	DPVCTJT10W	WI
Agrilite Base Trim 10'	DPVCTBT10W	WI



Available Sizes	Part#	Service Center
Agrilite Greca 12'4"	DPVCG124W	WI
Agrilite Greca 16'4"	DPVCG164W	WI
Agrilite Greca 20'4"	DPVCG204W	WI

TRUSSCORE™ PVC INTERLOCKING LINER PANELS

TRUSSCORE™ PVC Interlocking Liner Panels have your job covered. Wherever you need easy-to-clean, low maintenance, hygienic or abuse resistance paneling - TRUSSCORE™ is the answer. These sheets exceed modern hygienic construction and statutory building codes therefore transforming construction practices in Canada and the United States. TRUSSCORE's™ unique webbed design provides outstanding spanning capability as well as high strength. It's surface is highly durable and resistant to scratches, chemicals, and moisture. The Interlocking Panels come in standard lengths of 12' and 16' or custom lengths by special order. Accessories available are flashing, trim and fasteners. 12" Wide x 1/2" double wall reinforced white panels.



HEX NUT-SETTERS AND LSC DRIVERS


Long spring clip drivers and magnetic nut-setters. DMI suggests using LSC Drivers, (Long spring clip). The LSC drivers offer a superior driving experience holding the fasteners secure while taking less paint off the heads of the fasteners. The LSC drivers use a pressure spring instead of a magnetic disc to hold the fastener making them the choice for driving stainless steel and other non-magnetic hex head fasteners. We also offer a variety of Phillips, Square, and Combo Drive s for concealed fasteners.



Available Sizes	Qty/Box	Part#
1/4" Hex LSC	10/100	DMI3SSHL14
5/16" Hex LSC	10/100	DMI3SSHL516
3/8" Hex LSC	10/100	DMI3SSHL38
1/4" Hex Magnet	10/100	DMI3LMSHL14
5/16" Hex Magnet	10/100	DMI3LMSHL516
3/8" Hex Magnet	10/100	DMI3LMSHL38
#2 Phillips x 2-3/4"	10/100	DMI3QT322P
#2 Square x 1-5/16"	10/100	DMI3QT802S
#3 PH / #2 SQ combo	10/100	DMI9APE493
T-25 x 2-3/4"	10/100	DMI3T25W275
IRIUS DRIVER	1	DMI2DRIVER

POLYCARBONATE PANEL TO WOOD FASTENER

Stainless Steel 304 no red rust construction. Includes sealing washer and wings to pre-drill polycarbonate panels. Wings pre-drill to help allow for expansion and contraction of polycarbonate panels. #12 diameter x 1-1/2" standard. 1-1/2", 2" and 2-1/2" length special order.



Available Sizes	Qty/Box	Part#
#12 x 1-1/2"	2,000	DMIPC912112S
Special order parts below, extended lead time		
#12 x 1-1/4"	2,500	DMIPC12114S
#12 x 2"	1,500	DMIPC12200S
#12 x 2-1/2"	1,000	DMIPC12250S
FULL CARTON ORDERS ONLY		

POLYCARBONATE PANEL OVERLAP FASTENER GROMMET SEAL STAINLESS

Stainless Steel 304 no red rust construction. Used for panel overlaps of polycarbonate and fiberglass panels. Hex head machine screw with rubber grommet that seals around top and bottom of panel penetrations. 3/8" x 1" standard size. 1/4 x 1-1/4" special order.



Available Sizes	Qty/Box	Part#
3/8" X 1"	Call	DMI23810PG
1/4" X 1-1/4"	2500	DMI310F100N
FULL CARTON ORDERS ONLY		

POLYCARBONATE PANEL TO METAL FASTENER

Oversized #14 x 1-1/4" self drill #3 fasteners with an oversized 1" diameter washer. This fastener is for installation of polycarbonate panels to light to medium gauge metal substrate up to 8 ga steel. #14 x 7/8" stitch available for Polycarbonate panel to metal panel stitch applications up to 18ga. Large 1-1/8" diameter E.P.D.M. bonded washer was allows you to do pre-drill your expansion relief holes in the Polycarbonate panels and seal the larger diameter holes with confidence. Full silver anti-corrosion coating. 100 pcs / bag



Available Sizes	Qty/Box	Part#
1/4-14 x 1-1/2" SD3	1,000	DMI3PC112LW
1/4-14 x 7/8" SD1ST	1,000	DMI3PC078LW

100 PIECES PER BAG
AVAILABLE IN SILVER COLOR ONLY

RIVETS - FULL 304 STAINLESS STEEL MTM

#43 Stainless steel rivets with stainless rivet and mandrel. Stainless rivets are compatible with galvanized, galvalume, aluminum, copper, and stainless steel panels. #43 grip range is .126" to .187", #44 grip range is .188"-.250". Available painted to match your panel color. Standard #43 stock colors include: Ash Grey, Burnished slate, Caribbean Blue, Cocoa Brown, Charcoal, Dark Green, Light Stone, Red, Tan, White, Bright White. Stainless Steel Rivets in stock in mill finish stainless. Packaged 250 pcs / bag or boxes of 5000 pcs
1/8" Rivets #43 Part #DMI2L1290, #44 Part #DMI2L1300, and #46 Part #DMI2L460S



BI-METAL CLADDING FASTENERS- FULL 304 STAINLESS STEEL

Available for order various types and sizes of 304 stainless steel fasteners for metal cladding panels. SX TORX low profile self drill full 304 SS bimetal drill point screws for attaching steel, stainless and aluminum to thin to medium gage metal. TW-S low profile full 304 SS for attaching cladding panels to timber battens, aluminum and steel light gage framework. SLA bimetal low profile for fastening aluminum composite panels to aluminum framing. All of the above carry a 25 year warranty against red rust. We also feature a selection of AP rivets for cladding panels to aluminum or steel subframes, and TSU Blind HPL fasteners for brackets, straps, and clips.





DIRECT METALS, INC. offers the VistaCoat Premium paint system on most of our metal roofing and metal building fasteners.

VistaCoat fasteners are available with a full coat paint system. VistaCoat was developed to provide corrosion resistance on the whole fastener including the washer. VistaCoat dramatically reduces the amount of paint taken off the head of the screw during installation providing a professional appearance after installation. Vista coat has built in UV resistance to combat paint fading and provides paint fade performance consistent with the top panel finishes in the industry. Vista coat is available with no up charge on Woodgrip, Woodgrip XG, Woodzac, and Woodmac fasteners in our new standard colors.

The performance of the VistaCoat paint system has been tested against our best competitors products. This 1000 hour salt spray testing was performed by an independent test lab. The testing showed a considerable performance advantage of our VistaCoat finish vs. the competitors mechanical galvanized and claimed 1000 hour coatings.

Direct Metals, Inc. also offers the P3 powder coated head paint system on many of the Trugrip metal to wood fasteners and TEKS self drilling metal to metal fasteners. This P3 powder coated head offers the protection of a 35 year limited warranty. Most P3 powder coated head fasteners also have a Climaseal 1000 hour tested shank coating.




The color chart to the right is representative of our standard color offerings. Colors may vary from actual product due to color variations in the catalog printing process. Actual colored product samples are available on request.





Distributor order entry or product inquiries:
Toll Free Phone: 855-800-8878
Toll Free Fax: 855-800-8877
Website: www.directmetalsinc.com


We are proud to have over 1000 distributors across the United States of America. These distributors are serviced through our warehousing locations strategically placed to offer fast service and low shipping cost on our quality products.



Corporate address / Southeast Main Service Center:
Direct Metals, Inc.
17600 East Street
N. Ft Myers, FL 33917
Phone: 239-599-8527
Fax: 239-599-8545
Manager Email: andrew@directmetalsinc.com

Midwest/Northeast Main Service Center:
Direct Metals of Indiana
1800 Jim Neu Drive, Suite 2
Plymouth, IN 46563
Phone: 574-935-3644
Fax: 574-935-3643
Manager Email: hal@directmetalsinc.com

Your Direct Metals, Inc. distributor is:



www.directmetalsinc.com