



**PANEL CLIP SELECTION GUIDE  
PRODUCT CATALOG  
JUNE 1, 2023**



**DMI SNAPLOCK PANEL CLIPS**

Designed for secure fastening of snap lock style standing seam/concealed fastener metal roofing systems. All DMI panel clips are designed to meet FBC 1506.7 corrosion resistance requirement. Panel clips can be manufactured to fit panels from most brands and styles of roll forming machines. Please specify make and model of machine when ordering. Most styles are designed with built-in fastener relief to help eliminate panel dimpling.



**675** 1-3/4" Snaplock Ultra Length HD  
For 1-3/4" Snaplock Panels multiple versions to fit Quadro, RF, Newtech 675, D175S Knudson & ES2000, US 175  
18 ga steel or SS, 2 hole, 3-1/2" width.

Gauge	Qty/Box	Part#	Height
18G Galv	250	CSN134312G18V-3	1.88"
18G Galv	250	CSN134312G18	1.875"
18G SS	250	CSN134312S18V-3	1.88"
18G SS	250	CSN134312S18	1.875"



**1-1/2" Snaplock Ultra Length QSL HD**  
Fits 1-1/2" Snaplock Panels  
fits Quadro, D450SL & E 1500  
18 ga steel or SS, 2 hole, 3-1/2" width

Gauge	Qty/Box	Part#
18G Galv	125	CSN112312G18QV
18G Galv	125	CSN112312G18Q
18G Galv	125	CSN112312G18QV-MOD
18G SS	125	CSN112312S18QV
18G SS	250	CSN112312S18Q



**675** 1-3/4" Snaplock Econo LD  
Fits 1-3/4" Snaplock Panels (1-7/8")  
fits Quadro, Rollformer, Newtech 675, Knudson, E US 175  
18 ga steel or SS, 3 hole, 2-1/4" width

Gauge	Qty/Box	Part#
18G Galv	400	CSN134214G18V
18G Galv	400	CSN134214G18
18G SS	400	CSN134214S18V
18G SS	400	CSN134214S18



**1-1/2" Snaplock Econo QSL LD**  
Fits Quadro 1-1/2" Snaplock Panels  
E 1500, D450SL  
20 ga steel or SS, 3 hole, 2-1/4" width

Gauge	Qty/Box	Part#
20G Galv	500	CSN112214G20QV
20G Galv	500	CSN112214G20Q
20G SS	500	CSN112214S20Q



**550** 1-1/2" Snaplock NT550 HD  
Fits Newtech 550, D550S  
20 ga steel or SS, 2 hole, 3-1/2" width

Gauge	Qty/Box	Part#
20G Galv	250	CSN112916G20NH
20G Galv	250	CSN112916G20NHV
20G SS	250	CSN112916S20NH
20G Galv	250	CSN112916S20NHV



**1-1/4" Snaplock Econo QSL LD**  
Fits Utility Panels, fits Quadro  
24 ga steel 2" width

Gauge	Qty/Box	Part#
24G Galv	600	CSN11420G24QSL
24G Galv	600	CSN11420G24QSLV



**450** 1-1/2"/1-1/4" Snaplock Newtech 450HD  
no fastener relief dimples and flat tongue.  
Fits 450, EA1000, Plusmax, D450, SOP15  
24 ga steel or SS, 3 hole, 3" width

Gauge	Qty/Box	Part#
24G Galv	500	CSN11430G24V
24G SS	500	CSN11430S24V




**1" Snaplock QSL HD**  
Fits Quadro 1" Snaplock Panel  
18 ga steel 3.5" width

Gauge	Qty/Box	Part#
18G Galv	200	CSN100350G18QSL



**450** 1-1/2"/1-1/4" Snaplock Newtech 450 LD  
Fits Modified 450 panel and other utility panels. Fits Newtech 450 and EA1000, D450.  
24 ga steel or SS, 2 hole, 2" width  
(a) 3/4" DL, with dimples and raised tongue  
(b) 3/4" DL, no dimples and flat tongue  
(c) 7/8" DL, with dimples and raised tongue

Gauge	Qty/Box	Part#
24G Galv	600 (a)	CSN11420G24U
24G SS	600 (a)	CSN11420S24U
24G Galv	600 (b)	CSN11420G24UNDFT
24G SS	600 (b)	CSN11420S24UNDFT
24G Galv	600 (c)	CSN11420G24U78
24G SS	600 (c)	CSN11420S24U78



**1" Snaplock Econo QSL LD**  
Fits Quadro 1" Snaplock Panel  
24 ga steel, 2" width

Gauge	Qty/Box	Part#
24G Galv	1,000	CSN10020G24QSL
24G Galv	1,000	CSN10020G24QSLV
24G SS	1,000	CSN10020S24QSL



**450SL** 1-1/4"/1-1/2" Snaplock 450SL HD  
Fits Newtech 450SL, DMC 450SL  
24 ga steel or SS, 2 hole, 3" width

Gauge	Qty/Box	Part#
24G Galv	500	CSN1143SLU24GNKOV
24G SS	500	CSN1143SLU24SNKOV



**1-3/4" Zimmerman SL HD**  
For 1-3/4" Snaplock Panels multiple versions to fit Zimmerman Z175 Panels  
18 ga steel or SS, 2 hole, 3-1/2" width

Gauge	Qty/Box	Part#	Height
18G Galv	250	CSN134312G18V	1.83"
18G SS	250	CSN134312S18V	1.83"



**450SL** 1-1/4"/1-1/2" Snaplock 450SL LD  
Fits Snaplock Econo Panels  
Fits Newtech 450SL, DMC 450SL  
24 ga steel or SS, 2 hole, 2" width

Gauge	Qty/Box	Part#
24G Galv	600	CSN114SLU24GNKO
24G SS	600	CSN114SLU24SNKO



**1" or 1-1/2" Zimmerman**  
Fits 1" , 1-1/2" Zim Snaplock Panels  
24 ga steel or 304SS, 2 hole, 3" width

Gauge	Qty/Box	Part#
24G Galv	500	CSN112916G24Z
24G SS	500	CSN112916S24Z

# SNAP LOCK STANDING SEAM METAL PANEL CLIPS Continued...



1-1/4" Snaplock Utility Panel Clip  
Fits 1-1/4", 1-1/2" Snaplock Panels  
Actual clip size 1-3/8" x 2", w/dog ears  
24 ga steel, 2 hole, 2" width  
Gauge Qty/Box Part#  
24G Galv 600 DMIUPCGV



1" Snaplock Rollformer Corp Clip  
Fits 1" Snaplock Panels (1-1/8")  
Fits Rollformer  
22 ga steel or 304SS, 2 hole, 2" width  
Gauge Qty/Box Part#  
22G Galv 1,000 CSN118200G22RFV  
22G SS 1,000 CSN118200S22RFV


## MECHANICAL LOCK STANDING SEAM FIXED METAL PANEL CLIPS

### DMI MECHANICAL LOCK FIXED PANEL CLIPS

Designed for secure fastening of mechanical lock style standing seam / concealed fastener metal roofing systems. All DMI panel clips are designed to meet FBC 1506.7 corrosion resistance requirement. Panel clips can be manufactured to fit panels from most brands and styles of roll forming machines. Please specify make and model of machine when ordering. Most styles are engineered to give fastener relief, and heights of clips are listed in panel height. 1" tall panel would use 1-1/8" tall clip, 1-1/2" panel would use 1-5/8" clip, etc.




1" Mechanical Lock (1-1/8")  
7/16" Top fits RF, NT, KN, D100SS, EA1301, Galv or SS, 2 hole, 2" width  
Gauge Qty/Box Part#  
26G Galv 1,000 CMF1002716G26V  
26G Galv 1,000 CMF1002716G26  
24G Galv 1,000 CMF1002716G24  
24G Galv 1,000 CMF1002716G24V  
24G SS 1,000 CMF1002716S24  
26G SS 1,000 CMF1002716S26



1-1/2" Mechanical Lock (1-5/8")  
7/16" Top fits RF, NT, KN, EA1300, D150SS Galv or Stainless, 2 hole, 2" width  
Gauge Qty/Box Part#  
24G Galv 1,000 CMF1502716G24V  
24G Galv 1,000 CMF1502716G24  
24G SS 1,000 CMF1502716S24  
26G Galv 1,000 CMF1502716G26V  
26G Galv 1,000 CMF1502716G26  
26G SS 1,000 CMF1502716S26V  
26G SS 1,000 CMF1502716S26



1-1/2" Mechanical Lock NFR (1-1/2")  
7/16" Top fits Z1500, KR12, EA1300 US 1505, D150SS 2 hole, 2" width  
NFR= No built in fastener relief this 1-1/2" panel clip is 1-1/2" in height.  
Gauge Qty/Box Part#  
26G Galv 1,000 CMF1372716G26  
24G SS 1,000 CMF1502716S24NFR  
26G SS 350 CMF1502716S26NFR



1-1/2" Mechanical Lock HD (1-5/8")  
7/16" Top fits Z1500, EA1300, KR24, RF, US 1505 D150SS, 2 or 3 hole, 3" width  
Gauge Qty/Box Part#  
24G Galv 500 CMF1503716G24V  
24G SS 500 CMF1503716S24V  
24G SS 500 CMF1503716S24



2" (2-1/8") Newtech Mechanical Lock  
3/4" Top fits RF, NT Ultraseam, Knudson, E, 3 hole, 3" width.  
Gauge Qty/Box Part#  
24G Galv 600 CMF218334G24  
24G SS 300 CMF218334S24  
22G Galv 600 CMF218334G22



1-1/2" Mechanical Lock XHD (1-5/8")  
7/16" Top fits Z1500, EA1300, KR24, RF, US 1505 D150SS, 4 hole, 6" width  
Gauge Qty/Box Part#  
22G Galv 250 CMF1506716G22  
22G Galv 250 CMF1506716G22V  
24G SS 250 CMF1506716S24  
24G SS 250 CMF1506716S24V



2" Quadro Mechanical Lock  
5/8" Top fits Quadro  
3 hole, 3" width.  
Gauge Qty/Box Part#  
24G Galv 600 CMF218358G24  
24G SS 300 CMF218358S24



3" T-Panel Clip  
3 hole, 16 ga G90 Galv or 409 Stainless  
4.26" wide top, 2.0" wide base.  
Qty/Box Part# Material  
100 CME300TG16 GALV  
100 CME300TG16V GALV  
100 CME300TS16 STAINLESS  
100 CME300TS16V STAINLESS

**DMI UNIVERSAL BEARING PLATES** - Create a load bearing surface for panel clips or fasteners overtop of insulation boards.

### ADDITIONAL METAL STAMPINGS



Universal 4" x 5" slotted for Panel Clips  
Size Gauge Qty/Box Part#  
4" x 5" 20ga G90 250 UBP4620GV  
4" x 5" 20ga G90 250 UBP4620G  
4" x 5" 24ga G90 250 UBP4624GV  
4" x 5" 20ga 304SS 250 UBP4520S



Commercial Box Gutter HD Hangers  
18 ga G-90 Galvanized or 0.063" Aluminum,  
200 pieces per box  
5", 6", 7" and 8" available

## EXPANSION CLIPS FOR MECHANICAL LOCK PANEL CLIPS

Designed to allow for thermal expansion while providing secure fastening of mechanical lock style standing seam / concealed fastener metal roofing systems. The expansion style clips are available in 3 different styles; one piece pre-assembled style, a two piece job site assembled and a butterfly style two piece job site assembled. All DMI panel clips are designed to meet FBC 1506.7 corrosion resistance requirements.



**2" Newtech 1 PC Single L Expansion**  
3/4" Top fits Newtech Machines, SSQ200, NT SS200, NT SS210, ZIM SS2000  
2 hole, 4-3/8" width, 1/2" standoff.  
Galvanized G90 Top 22ga, Base 16G.  
Stainless 304S Top 24ga, Galv Base 16G

Type	Qty/Box	Part#
Galvanized 100		CMEMLG200NT
Galvanized 100		CMEMLG200NTV
Galvanized 80		1020252
Stainless 100		CMEMLS200NT
Stainless 100		CMEMLS200NTV



**2" Newtech 1PC Double L Expansion**  
3/4" Top fits Newtech SS200, SS210, RF23C, ZIM SS2000, US-200, US-200C  
2 hole, 4-3/8" width, Galvanized G90 Top 22ga, Base 16G.

Type	Qty/Box	Part#
Galvanized 100		753279
Galvanized 100		CMEMLG200NTDLLV
Stainless 100		CMEMLS200NTDLLV



**2" Newtech 2PC Expansion**  
3/4" Top fits Newtech Machines, SSQ200  
5 hole, 5 base width. Field assembly required  
Ideal for wood substrates.

Desc	Qty/Box	Part#	Material
Top 24G	1,000	CMT2003416G24	GALV
Top 24S	1,000	CMT2003416S24	304 SS
Top 26S	1,000	CMT2003416S26	304 SS
Base 18G	500	CMB500G18	GALV



**2" Newtech Butterfly Style Expansion**  
3/4" Top fits Newtech Machines, SSQ200, NTSS200, NTSS210, RF23c, US200, ZIMSS2000  
2 hole 4-3/8" base, ribbon top. Ideal for wood substrates. Field assembly required.

Desc	Qty/Box	Part#	Material
Top 22G	150	1216534	GALV
Top 22S	150	1342536	304 SS
Base 22G	150	1126600	GALV



**2" Quadro 1PC Expansion**  
5/8" Top fits Quadro Machines  
2 hole, 4-3/8" width, 1/2" standoff.  
Galvanized G90 Top 22ga, Base 16G.  
Stainless 304S Top 24ga, Galv Base 16G

Gauge	Qty/Box	Part#
Galvanized 100		CMEMLG200QP
Galvanized 100		CMEMLG200QPV
Galvanized 100		1069206
Stainless 100		CMEMLS200QP



**2" Knudson KR24 1PC Expansion**  
0.660 Top fits Knudson KR24 Profile  
2 hole, 4.3" width, 0.40" standoff.  
Galvanized G90 Top 22ga, Base 16G.  
Stainless 304S Top 24ga, Galv Base 16G

Gauge	Qty/Box	Part#
Galvanized 80		728907
Galvanized 100		CMEMLS200KR24DLPV
Stainless 80		747235



**1" Knudson Two Piece Expansion Asm**  
7/16" Top, 7/32 DL fits Knudson ML,  
3 hole base. This 2 piece clip comes assembled.  
Ideal for wood substrate

Gauge	Qty/Box	Part#
26G/26G	500	CMT1002716G2626GK
24G/24G	500	CMT1002716G2424GK
24S/26S	500	CMT1002716S2426GK



**1-1/2" One Piece Expansion**  
fits Quadro, Newtech SS150, RF VS150  
2 hole, 4-3/8" width, 1/2" standoff.  
Galvanized G90 Top 22ga, Base 16G.  
Stainless 304S Top 24ga, Galv Base 16G  
Stainless 304S Top 26ga, Galv Base 16G

Gauge	Qty/Box	Part#	Top/Base
Galvanized 100		CMEMLG150	22/16
Stainless 100		CMEMLS150	24/16
Stainless 100		CMEMLS150LD	26/16



**1-1/2" Two Piece Expansion**  
7/16" Top fits Newtech and Quadro, SS150  
5 hole, 5 base width. This 2 piece clip requires field assembly. Each piece top and bottom sold separately. (Ideal for wood substrates)

Gauge	Qty/Box	Part#	Material
Top 24G	1,000	CMT1502716G24	GALV
Top 26G	1,000	CMT1502716S26	SS
Base 18G	500	CMB500G18	GALV



**1-1/2" Butterfly Style Expansion Clip**  
2 hole 4-3/8" base, ribbon top. SS150  
Field assembly required as this clip is sold in two different parts.

Part	Gauge	Qty/Box	Part#
Top	24 Galv	200	1238708 S.O.
Top	SS	200	1238709 S.O.
Top	26 304SS	200	1236937 S.O.
Base	22 Galv	200	1126602 S.O.



**TRQ-250 Newtech Trapezoid Panel Expansion Clip** fits TRQ250  
2 hole, 22 ga top, 16 ga base, G90 Galv.  
Qty/Box Part#  
100 B110230 S.O.




**3" T-Panel Clip**  
3 hole, 16 ga G90 Galv or 409 Stainless  
4.26" wide top, 2.0" wide base.

Qty/Box	Part#	Material
100	CME300TG16	GALV
100	CME300TG16V	GALV
100	CME300TS16	STAINLESS
100	CME300TS16V	STAINLESS



Distributor order entry or product inquiries:  
Toll Free Phone: 855-800-8878  
Toll Free Fax: 855-800-8877  
orders@directmetalsinc.com  
Website: www.directmetalsinc.com

We are proud to have over 1600 distributors across the United States of America. These distributors are serviced through our warehousing locations strategically placed to offer fast service and low shipping cost on our quality products.



★ Corporate Office  
Direct Metals, Inc.  
Ft Myers, FL 33905  
Phone: 855-800-8878


★ S.E. Service Center  
1719 Baseline Ct.  
Ft Myers, FL 33905  
Phone: 239-599-8527  
Fax: 239-599-8545  
Inquiries: orders@directmetalsinc.com

★ Low Slope Roofing Service Center  
4244 Edison Ave  
Ft Myers, FL 33916  
Inquiries: orders@directmetalsinc.com

★ Midwest Service Center:  
Direct Metals of Indiana  
1800 Jim Neu Drive, Suite 3  
Plymouth, IN 46563  
Phone: 574-935-3644  
Fax: 574-935-3643  
inquiries: orders@directmetalsinc.com

★ Interior Construction Products Service Center, N.Y.

**Your Direct Metals, Inc. distributor is:**



**[www.directmetalsinc.com](http://www.directmetalsinc.com)**