

# METAL MADE EASY



STANDING SEAM  
ROOFING TOOLS  
HEMMING  
SIDING  
HVAC

MASTER DISTRIBUTOR



## DOUBLE-LAYERED ANGLED SEAMERS

Professional series hand seamers with double-layered non-slip handles and long-lasting heat-treated steel jaws.



**03-530**



**03-531**

### FEATURES

- Seamer angles allow accurate 45° / 90° bends and ease of use in tight areas.
- 1" bend depth.
- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel, fully heat-treated and tempered.
- Double layered and non-slip handles.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
03-528	1"×3" DOUBLE LAYERED HAND SEAMER—45°	2	36
03-529	1"×3" DOUBLE LAYERED HAND SEAMER—90°	2	36
03-530	1"×6" DOUBLE LAYERED HAND SEAMER—45°	2	24
03-531	1"×6" DOUBLE LAYERED HAND SEAMER—90°	2	24

## DOUBLE-LAYERED SEAMERS

Professional series hand seamers with double-layered non-slip handles and long lasting heat-treated steel jaws.



**03-536**



**03-547**

### FEATURES

- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel.
- Fully heat-treated and tempered.
- Double layered and non-slip handles.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
03-536	1"×3" HAND SEAMER	2	36
03-539	1"×6" HAND SEAMER	2	24
03-540	1"×9" HAND SEAMER	2	16
03-541	1"×12" HAND SEAMER	2	12
03-546	2"×6" HAND SEAMER	2	12
03-547	3"×6" HAND SEAMER	2	12
03-549	2"×3" HAND SEAMER	2	24

## 4"×6" DOUBLE-LAYERED HAND SEAMER

The only professional hand seamer on the market that bends up to 4". Ideal for deeper ridge caps on standing seam roofs. Extra weight helps bending 16–18 gauge metal.



03-511

### FEATURES

- 4" bend depth, 6" run.
- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel, fully heat-treated and tempered.
- Double layered and non-slip handles.

INNER QTY: 2 | MASTER QTY: 12

## 4"×9" DOUBLE-LAYERED HAND SEAMER

The only professional hand seamer on the market that bends up to 4". Ideal for deeper ridge caps on standing seam roofs. Extra weight helps bending 16–18 gauge metal.



03-512

### FEATURES

- 4" bend depth, 9" run.
- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel, fully heat-treated and tempered.
- Double layered and non-slip handles.

INNER QTY: 2 | MASTER QTY: 8

### 3" HAND SEAMER

Drop-forged steel seamer for sheet metal applications.



**03-535**

#### FEATURES

- 1" bend depth.
- Useful for thicker gauge material.
- High quality drop-forged steel.

**INNER QTY: 2 | MASTER QTY: 36**

### 3" CHROME SEAMER

Steel seamer for sheet metal applications. Chrome coated jaws for rust protection.



**03-537**

#### FEATURES

- 1" bend depth.
- Useful for thicker gauge material.
- High quality drop-forged steel.
- Double layered and non-slip handles.
- 1/4" graduation markings for easy reference.

**INNER QTY: 2 | MASTER QTY: 36**

### FOLDING BARS

Designed as two steel plates welded together with slits running along the length. Perfect for 3/8" and 1" bends.



**03-533**

#### FEATURES

- Easy-to-use folding mechanism for metal sheets.
- Handy sight holes assure proper depth alignment.
- 3/8" and 1" bend depths.

### DOUBLE STAGE LOCKING SEAMER

2-in-1 locking seamer for standing seam roof applications. This tool combines the two stages of a double lock seam into a single tool.



**03-522**

#### FEATURES

- Closes the single lock in a standing seam roof.
- Reverse side completes the double lock.
- Lightweight and easy to use—eliminates the need to carry two different locking seamers.
- Durable powder-coated steel.

**MASTER QTY: 1**

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
03-532	12" FOLDING BAR	3	24
03-533	18" FOLDING BAR	3	18
03-534	24" FOLDING BAR	3	12

## STANDING SEAM HEMMING TOOLS

Primegrip hemming tools are designed to facilitate the quick and precise hemming of metal panel edges for standing seam roofs and can also be used to close the high side of panels. Constructed from 10 gauge mild steel, feature high quality spot welding and a heat-treated powder-coated finish.



**03-563**

### FEATURES

- Makes 1" or 1½" bends in metal panels up to 20" wide.
- 1/8" throat gap allows use with up to 15 gauge material.
- 12" handle with double layer cushion grip for smooth and effortless work.
- 10 gauge mild steel construction with heat-treated powder-coated finish for strength and durability.



PART #	WIDTH (THROAT LENGTH)	BEND DEPTH (THROAT)	THROAT GAP	MAX. MATERIAL THICKNESS	INNER QTY	MASTER QTY
03-560	14½"	1"	1/8"	15 GAUGE	2	12
03-561	14½"	1½"	1/8"	15 GAUGE	2	12
03-562	19"	1½"	1/8"	15 GAUGE	2	12
03-563	20"	1½"	1/8"	15 GAUGE	2	12

## DRIP EDGE BENDERS

High leverage Drip Edge Benders are designed to make bends in metal panel edges. Can be easily used overhead on installed panels to bend up to 18 gauge material due to the lightweight build. Constructed from 14 gauge mild steel, feature high quality spot welding and a heat-treated powder-coated finish.



**03-564**

### FEATURES

- Ideal for bending panel edges to create drip edges, can be used overhead or on a workbench for pre-bending.
- Make 1" or 1½" bends.
- 2 mm throat gap allows use with up to 18 gauge material.
- Bar-shaped handle allows two-handed use for extra leverage.
- 14 gauge mild steel construction, heat-treated powder coating.



PART #	PRODUCT NAME	INNER QTY	MASTER QTY
03-564	18" DRIP EDGE BENDER	2	12
03-565	24" DRIP EDGE BENDER	2	12
03-566	36" DRIP EDGE BENDER	1	2

## AVIATION SNIPS

Ideal snips for cutting light stock.



**36-317**



**36-318**



**36-319**

### FEATURES

- High-quality chrome-vanadium alloy steel.
- Rubber comfort grip handles and safety latch.
- Non-slip serrated jaws for efficient cutting.
- Spring action for fast, effortless feed.
- Standardized handle colours are easy to identify.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-317	STRAIGHT CUT AVIATION SNIPS	6	48
36-318	LEFT CUT AVIATION SNIPS	6	48
36-319	RIGHT CUT AVIATION SNIPS	6	48

## OFFSET AVIATION SNIPS

Ideal snips for cutting light stock with offset jaws to keep hands up and away from sharp metal edges.



**36-327**



**36-328**



**36-329**

### FEATURES

- Cut 18 gauge cold-rolled steel and 22 gauge stainless steel.
- Chrome-molybdenum alloy steel forged blades with serrated edges for strength and durability.
- Offset blades keep hands safely away from material and provide increased reach in tight situations.
- Comfortable non-slip handles.
- Quick and simple spring-free automatic latch design.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-327	OFFSET LEFT AVIATION SNIPS	6	48
36-328	OFFSET STRAIGHT AVIATION SNIPS	6	48
36-329	OFFSET RIGHT AVIATION SNIPS	6	48

## OFFSET LONG CUT AVIATION SNIPS

Offset snips with 3" blades ideal for long cuts.



**36-323**



**36-324**

### FEATURES

- Cut straight and left curves in 20 gauge cold-rolled steel and 24 gauge stainless steel.
- Chrome-molybdenum alloy steel forged blades with serrated edges for strength and durability.
- Offset blades keep hands safely away from material.
- Comfortable non-slip handles.
- Quick and simple spring-free automatic latch design.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-323	OFFSET LONG CUT LEFT AVIATION SNIPS	6	36
36-324	OFFSET LONG CUT RIGHT AVIATION SNIPS	6	36

## VERTICAL OFFSET AVIATION SNIPS

Vertical offset snips ideal for increased reach in overhead projects, tight spaces or ground level cutting.



**36-325**



**36-326**

### FEATURES

- Cut straight and left curves in 24 gauge cold-rolled steel and 28 gauge stainless steel.
- Chrome-molybdenum alloy steel forged blades with serrated edges for strength and durability.
- Offset blades keep hands safely away from material and provide increased reach in tight situations.
- Comfortable non-slip handles.
- Quick and simple spring-free automatic latch design.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-325	VERTICAL OFFSET LEFT AVIATION SNIPS	6	36
36-326	VERTICAL OFFSET RIGHT AVIATION SNIPS	6	36

## DRILL-OPERATED AVIATION SNIPS

Converts a power drill into aviation snips. Has applications in metal roofing, building panels, metal duct work and sheet metal. Comes as a complete kit.



**36-320**

### FEATURES

- Aviation snip attachment
- 1 nut, 3 screws, 2 drill clamps.
- 1 soft-grip handle.
- 5 mm hex key wrench, 10 mm combination wrench.

INNER QTY: 1 | MASTER QTY: 12

## TINSNIPS

Ideal for cutting low carbon cold-rolled steel. Cut straight and wide curves when trimming light gauge stock.



**36-354**

### FEATURES

- Flat inside edge face guides tool along a straight line.
- Cushion grip for comfort.
- Hand-edged hot drop-forged steel blades.
- Long lasting and rust-resistant.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-352	8" TINSNIPS	6	24
36-353	10" TINSNIPS	5	30
36-354	12" TINSNIPS	6	24

## 12" ALUMINUM COMPOUND SCISSORS

Ideal for vinyl siding and can be used to cut sheet metal, roofing materials, carpet, plastic and canvas.



**36-373**

### FEATURES

- Cuts straight, right and left curves in up to 22 gauge cold-rolled steel.
- 3" cutting length for fast shear.
- Protruding blade allows tight and precise cuts.
- Multiple handle openings to accommodate different hand sizes.

INNER QTY: 4 | MASTER QTY: 24

## ALUMINUM SCISSORS

Ideal for vinyl siding and can be used to cut sheet metal, roofing materials, carpet, plastic and canvas.



**36-374**

### FEATURES

- Cuts straight, right and left curves in up to 22 gauge cold-rolled steel.
- 3" cutting length for fast shear.
- Multiple handle openings to accommodate different hand sizes.
- Rugged and lightweight aluminum design.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-374	12" ALUMINUM SCISSORS	3	30
36-375	14" ALUMINUM SCISSORS	4	24



## 8" MULTI-PURPOSE SHEARS

Ideal for cutting sheet metal and leather.



**36-480**

### FEATURES

- Stainless steel serrated blade.
- Lightweight and durable anti-slip handles for a comfortable grip.
- Adjustable range blade.

INNER QTY: 6 | MASTER QTY: 36

## 8" MULTI-FUNCTION SCISSORS

Ideal for cutting sheet metal, plastic and leather.



**36-481**

### FEATURES

- Stainless steel serrated blade.
- Includes box cutter, wire cutter, nut cracker and jar opener.
- Includes plastic sheathe.

INNER QTY: 6 | MASTER QTY: 36

## 10" MULTI-PURPOSE OFFSET SHEARS

Ideal for cutting sheet metal and leather.



**36-482**

### FEATURES

- Stainless steel serrated blade.
- Lightweight and durable anti-slip handles for a comfortable grip.
- Adjustable range blade.

INNER QTY: 6 | MASTER QTY: 36

## SNAP LOCK PUNCH

Makes tabs in the cut edge of a siding panel used as a finishing course at the top of a wall or below a window.



**33-640**

### FEATURES

- All steel construction. Forged cutting jaw holds edge longer and assures a burr free cut.
- Punch impression spaced  $\frac{3}{8}$ " from edge of metal.
- Non-slip vinyl cushion handle for a comfortable grip.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
33-640	SNAP LOCK PUNCH	6	48
33-643	SNAP LOCK PUNCH—EASY HANDLE	1	36

## SIDING REMOVER

This compact siding removal tool combines the comfort and leverage of an easy-to-hold handle with the smooth unlocking motion of a burr free hook.



**36-102**

### FEATURES

- Angled blade for wrist and knuckle protection.
- Blade finish prevents sharp hook from producing shavings or cutting vinyl material.
- Non-slip textured ergonomic handle.
- Durable spring steel construction.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-101	SIDING REMOVER—CURVED HANDLE	1	144
36-102	SIDING REMOVER—STRAIGHT HANDLE	1	144

## ALUMINUM FOAM GUN

Lightweight foam gun for insulation applications.



**45-165**

### FEATURES

- Excellent bead control.
- Professional results.
- Lightweight body.

INNER QTY: 1 | MASTER QTY: 12

## HAND NOTCHER

This sheet metal hand tool makes a 30° V corner notch for hand fabricating rectangular metal duct work.



**33-641**

### FEATURES

- All steel construction and forged cutting jaw.
- Non-slip cushion grips and spring loaded handles with locking jaw.

INNER QTY: 1 | MASTER QTY: 36

## SHEET METAL CRIMPER

Perfect crimps for tighter fitting, leakproof connections.



**33-700**

### FEATURES

- Non-slip vinyl cushion grip.
- All steel construction.

**INNER QTY: 6 | MASTER QTY: 36**

## 5-BLADE OFFSET CRIMPER

Crimping tool for gutters, ducts, metal pipes, etc.



**33-703**

### FEATURES

- Offset blade keeps hand safely away from material.
- Optimized handle span for maximum power and comfortable operating range.
- Non-slip cushion grips for superior comfort and control.
- Safety latch for keeping blades closed.

**INNER QTY: 6 | MASTER QTY: 36**

## 18 OZ TINNERS HAMMER

The perfect hammer for light to medium duty jobs and works well for striking common and finishing nails.



**04-880**

### FEATURES

- Forged single piece steel head and handle for unsurpassed strength and durability.
- Finely polished head creates a smooth surface.
- Bonded shock reduction grip reduces shock significantly and lowers hand and arm fatigue.

**INNER QTY: 6 | MASTER QTY: 18**

## ROOFER'S KNIFE

Standard replaceable blade utility knife. A short, curved grip provides tactile control without sacrificing comfort.



**36-274**


### FEATURES

- Works with standard 2-notch utility blades.
- Brass notched wheel for easy opening and blade change.
- Long-lasting reinforced underside.
- Comes with 3 hook blades and 2 straight blades.
- Includes a durable plastic holder.

INNER QTY: 12 | MASTER QTY: 48

## 2-NOTCH STRAIGHT BLADES—5 PACK

Can be used with most utility and roofing knives to cut felt paper, foam board, insulation and other building materials.



**36-253**

### FEATURES

- Can be used with all Primegrip knives.
- Induction-hardened edge offers 75% longer-lasting blade life.
- Heat treated for strength and induction hardened for longevity.

INNER QTY: 1 | MASTER QTY: 5

## 2-NOTCH DEEP HOOK BLADES—5 PACK

Can be used with most utility and roofing knives to cut roofing shingles, felt paper, foam board, insulation and other building materials.



**36-256**

### FEATURES

- Can be used with all Primegrip knives.
- Induction-hardened edge offers 75% longer-lasting blade life.
- Heat treated for strength and induction hardened for longevity.

INNER QTY: 1 | MASTER QTY: 5

## 15" UTILITY BAR

Portable lightweight prying bar. Ideal for pulling nails, prying, lifting and scraping.




**09-201**

### FEATURES

- Contoured shape makes pulling nails, prying, lifting and scraping easier.
- Nail slots at both ends for easy nail removal.
- Forged high-carbon steel for increased strength and durability.

INNER QTY: 12 | MASTER QTY: 24

## 36" HANDLE BEST DAMN RIPPER WITH D-GRIP



83-306



SEE THE BEST DAMN  
RIPPER IN ACTION



### FEATURES

- Lightweight and durable.
- Pries forwards and backwards for increased productivity.
- Centre wing at the base of the handle allows shingles to slide off effortlessly.
- Patented EZ-Gliders under the blade allow seamless gliding and increased leverage for prying nails, resulting in up to 75% less effort and more efficiency.

INNER QTY: 1 | MASTER QTY: 3

## 1¼"×1¾" SINGLE FORK SILICONE ROLLER

Primegrip offers an extensive line of silicone membrane seam rollers in a wide variety of sizes.



72-001

### FEATURES

- Heat-resistant silicone seam roller.
- Used to compress roof membranes when effecting seal/joint.
- Single fork with high quality bearings.
- 1¼" diameter × 1¾" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 48

## 2"×4" DOUBLE FORK SILICONE ROLLER

Primegrip offers an extensive line of silicone membrane seam rollers in a wide variety of sizes.



72-002

### FEATURES

- Heat-resistant silicone seam roller.
- Used to compress roof membranes when effecting seal/joint.
- Double fork with high quality bearings.
- 2" diameter × 4" width.
- Birch wood handle.

INNER QTY: 2 | MASTER QTY: 12

## 1/4" BRASS PENNY ROLLER

Slim brass roller ideal for sealing roof membrane near edges or tight corners.



**72-029**

### FEATURES

- Nickel-plated roller mounting and convex brass roller.
- 30 mm diameter.
- Birch wood handle.

INNER QTY: 1 | MASTER QTY: 125

## 2-IN-1 SILICONE/PENNY ROLLER

Double-end combination seam roller and penny roller.



**72-030**

### FEATURES

- Single fork with enclosed bearings.
- 1½"×1¾" silicone roller, 1⅛"×½" brass penny roller.
- 5" birch wood handle.

INNER QTY: 6 | MASTER QTY: 48

## 2"×2" SINGLE FORK STEEL ROLLER

Primegrip offers an extensive line of steel membrane seam rollers in a wide variety of sizes.



**72-032**

### FEATURES

- Heavy duty steel seam roller.
- Used to compress roof membranes when effecting seal/joint.
- Single fork with high quality double brass bearings.
- 2" diameter × 2" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 18

## 2"×4" DOUBLE FORK STEEL ROLLER

Primegrip offers an extensive line of steel membrane seam rollers in a wide variety of sizes.



**72-035**

### FEATURES

- Heavy duty steel seam roller.
- Used to compress roof membranes when effecting seal/joint.
- Double fork with high quality double brass bearings.
- 2" diameter × 4" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 12

## SEAM PROBE

Small probing tool to check adhesion of membrane seams.



72-010

### FEATURES

- Heat-treated high carbon steel blade with rounded corners, minimizing chance for damage when inspecting welded seams.
- Angled blade for clearance for hands and knuckles.
- Lightweight and durable plastic handle.

INNER QTY: 12 | MASTER QTY: 96

## TEFLON-COATED SCISSORS

11" Teflon-coated stainless steel scissors ideal for cutting glued papers, fabrics or adhesive tapes.



36-470

### FEATURES

- Serrated edge holds fabrics for a precise cut.
- Ergonomic handle is easy on the hands.
- Perfect for cutting sticky material like tape, building wraps and roof membranes.

INNER QTY: 4 | MASTER QTY: 24

## 2" CORE CUTTERS

Specialty tool designed to take roof test cuts easily and efficiently.



22-402

### FEATURES

- Precision machined, sharpened and heat treated for long life.
- The specially hardened teeth can be resharpened.
- Removable handles for easy transport and storage.

INNER QTY: 1 | MASTER QTY: 12

## SKELETON-TYPE GUN

9" half-barrel caulking gun. Suitable for light-to-medium applications of glazing, sealing or caulking.



45-121

### FEATURES

- Quick-twist pressure release. Hex rod.
- Ladder hook at rear end of push rod.
- Aluminum handle. Built-in seal punch under rail.
- Orange steel frame and black handle.

INNER QTY: 1 | MASTER QTY: 24



MASTER DISTRIBUTOR



1719 Baseline Ct  
Fort Myers, FL 33905

**T:** 239-599-8527

**F:** 239-599-8545

**Toll-Free:** 855-800-8878

orders@directmetalsinc.com

**DIRECTMETALSINC.COM**

