METAL MADE EASY



STANDING SEAM ROOFING TOOLS HEMMING TOOLS LOW SLOPE TOOLS







DOUBLE-LAYERED ANGLED SEAMERS

Professional series hand seamers with double-layered non-slip handles and long-lasting heat-treated steel jaws.



03-530



03-531

FEATURES

- Seamer angles allow accurate 45° / 90° bends and ease of use in tight areas.
- 1" bend depth.
- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel, fully heat-treated and tempered.
- Double layered and non-slip handles.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
03-528	1"×3" DOUBLE LAYERED HAND SEAMER—45°	2	36
03-529	1"×3" DOUBLE LAYERED HAND SEAMER—90°	2	36
03-530	1"×6" DOUBLE LAYERED HAND SEAMER—45°	2	24
03-531	1"×6" DOUBLE LAYERED HAND SEAMER—90°	2	24

DOUBLE-LAYERED SEAMERS

Professional series hand seamers with double-layered non-slip handles and long lasting heat-treated steel jaws.



03-536



03-547

- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel.
- Fully heat-treated and tempered.
- Double layered and non-slip handles.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
03-536	1"×3" HAND SEAMER	2	36
03-539	1"×6" HAND SEAMER	2	24
03-540	1"×9" HAND SEAMER	2	16
03-541	1"×12" HAND SEAMER	2	12
03-546	2"×6" HAND SEAMER	2	12
03-547	3"×6" HAND SEAMER	2	12
03-549	2"×3" HAND SEAMER	2	24

4"×6" DOUBLE-LAYERED HAND SEAMER

The only professional hand seamer on the market that bends up to 4". Ideal for deeper ridge caps on standing seam roofs. Extra weight helps bending 16–18 gauge metal.



FEATURES

- 4" bend depth, 6" run.
- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel, fully heat-treated and tempered.
- Double layered and non-slip handles.

INNER QTY: 2 | MASTER QTY: 12

4"×9" DOUBLE-LAYERED HAND SEAMER

The only professional hand seamer on the market that bends up to 4". Ideal for deeper ridge caps on standing seam roofs. Extra weight helps bending 16–18 gauge metal.



FEATURES

- 4" bend depth, 9" run.
- Useful for thicker gauge material.
- No springs so seamer jaw does not lose strength.
- High quality drop-forged steel, fully heat-treated and tempered.
- Double layered and non-slip handles.

3" HAND SEAMER

Drop-forged steel seamer for sheet metal applications.



03-535

3" CHROME SEAMER

Steel seamer for sheet metal applications. Chrome coated jaws for rust protection.



03-537

FEATURES

- 1" bend depth.
- Useful for thicker gauge material.
- High quality drop-forged steel.

INNER QTY: 2 | MASTER QTY: 36

FEATURES

- 1" bend depth.
- Useful for thicker gauge material.
- High quality drop-forged steel.
- Double layered and non-slip handles.
- 1/4" graduation markings for easy reference.

INNER QTY: 2 | MASTER QTY: 36

FOLDING BARS

Designed as two steel plates welded together with slits running along the length. Perfect for 3/8" and 1" bends.



03-533

DOUBLE STAGE LOCKING SEAMER

2-in-1 locking seamer for standing seam roof applications. This tool combines the two stages of a double lock seam into a single tool.



03-522

FEATURES

- Easy-to-use folding mechanism for metal sheets.
- Handy sight holes assure proper depth alignment.
- %" and 1" bend depths.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
03-532	12" FOLDING BAR	3	24
03-533	18" FOLDING BAR	3	18
03-534	24" FOLDING BAR	3	12

FEATURES

- Closes the single lock in a standing seam roof.
- Reverse side compeltes the double lock.
- Lightweight and easy to use—eliminates the need to carry two different locking seamers.
- Durable powder-coated steel.

MASTER QTY: 1

STANDING SEAM HEMMING TOOLS

Primegrip hemming tools are designed to facilitate the quick and precise hemming of metal panel edges for standing seam roofs and can also be used to close the high side of panels. Constructed from 10 gauge mild steel, feature high quality spot welding and a heat-treated powder-coated finish.







FEATURES

- Makes 1" or 1½" bends in metal panels up to 20" wide.
- 1/8" throat gap allows use with up to 15 gauge material.
- 12" handle with double layer cushion grip for smooth and effortless work.
- 10 gauge mild steel construction with heat-treated powder-coated finish for strength and durability.

PART#	WIDTH (THROAT LENGTH)	BEND DEPTH (THROAT)	THROAT GAP	MAX. MATERIAL THICKNESS	INNER QTY	MASTER QTY
03-560	141/2"	1"	1/8"	15 GAUGE	2	12
03-561	14½"	1½"	1/8"	15 GAUGE	2	12
03-562	19"	1½"	1/8"	15 GAUGE	2	12
03-563	20"	1½"	1/8"	15 GAUGE	2	12

DRIP EDGE BENDERS

High leverage Drip Edge Benders are designed to make bends in metal panel edges. Can be easily used overhead on installed panels to bend up to 18 gauge material due to the lightweight build. Constructed from 14 gauge mild steel, feature high quality spot welding and a heat-treated powder-coated finish.



03-564

- Ideal for bending panel edges to create drip edges, can be used overhead or on a workbench for pre-bending.
- Make 1" or 1½" bends.
- 2 mm throat gap allows use with up to 18 gauge material.
- Bar-shaped handle allows two-handed use for extra leverage.
- 14 gauge mild steel construction, heat-treated powder coating.



PART#	PRODUCT NAME	INNER QTY	MASTER QTY
03-564	18" DRIP EDGE BENDER	2	12
03-565	24" DRIP EDGE BENDER	2	12
03-566	36" DRIP EDGE BENDER	1	2

AVIATION SNIPS

Ideal snips for cutting light stock.







36-317 36-318 36-319

FEATURES

- High-quality chrome-vanadium alloy steel.
- Rubber comfort grip handles and safety latch.
- Non-slip serrated jaws for efficient cutting.
- Spring action for fast, effortless feed.
- Standardized handle colours are easy to identify.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-317	STRAIGHT CUT AVIATION SNIPS	6	48
36-318	LEFT CUT AVIATION SNIPS	6	48
36-319	RIGHT CUT AVIATION SNIPS	6	48

OFFSET AVIATION SNIPS

Ideal snips for cutting light stock with offset jaws to keep hands up and away from sharp metal edges.







36-327 36-329 36-329

- Cut 18 gauge cold-rolled steel and 22 gauge stainless
 steel
- Chrome-molybdenum alloy steel forged blades with serrated edges for strength and durability.
- Offset blades keep hands safely away from material and provide increased reach in tight situations.
- Comfortable non-slip handles.
- Quick and simple spring-free automatic latch design.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
36-327	OFFSET LEFT AVIATION SNIPS	6	48
36-328	OFFSET STRAIGHT AVIATION SNIPS	6	48
36-329	OFFSET RIGHT AVIATION SNIPS	6	48

OFFSET LONG CUT AVIATION SNIPS

Offset snips with 3" blades ideal for long cuts.



36-323



36-324

FEATURES

- Cut straight and left curves in 20 gauge cold-rolled steel and 24 gauge stainless steel.
- Chrome-molybdenum alloy steel forged blades with serrated edges for strength and durability.
- Offset blades keep hands safely away from material.
- Comfortable non-slip handles.
- Quick and simple spring-free automatic latch design.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-323	OFFSET LONG CUT LEFT AVIATION SNIPS	6	36
36-324	OFFSET LONG CUT RIGHT AVIATION SNIPS	6	36

VERTICAL OFFSET AVIATION SNIPS

Vertical offset snips ideal for increased reach in overhead projects, tight spaces or ground level cutting.



36-325



36-326

- Cut straight and left curves in 24 gauge cold-rolled steel and 28 gauge stainless steel.
- Chrome-molybdenum alloy steel forged blades with serrated edges for strength and durability.
- Offset blades keep hands safely away from material and provide increased reach in tight situations.
- Comfortable non-slip handles.
- Quick and simple spring-free automatic latch design.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
36-325	VERTICAL OFFSET LEFT AVIATION SNIPS	6	36
36-326	VERTICAL OFFSET RIGHT AVIATION SNIPS	6	36

DRILL-OPERATED AVIATION SNIPS

Converts a power drill into aviation snips. Has applications in metal roofing, building panels, metal duct work and sheet metal. Comes as a complete kit.



36-320

FEATURES

- Aviation snip attachment
- 1 nut, 3 screws, 2 drill clamps.
- 1 soft-grip handle.
- 5 mm hex key wrench, 10 mm combination wrench.

INNER QTY: 1 | MASTER QTY: 12

TINSNIPS

Ideal for cutting low carbon cold-rolled steel. Cut straight and wide curves when trimming light gauge stock.



36-354

FEATURES

- Flat inside edge face guides tool along a straight line.
- Cushion grip for comfort.
- Hand-edged hot drop-forged steel blades.
- Long lasting and rust-resistant.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
36-352	8" TINSNIPS	6	24
36-353	10" TINSNIPS	5	30
36-354	12" TINSNIPS	6	24

12" ALUMINUM COMPOUND SCISSORS

Ideal for vinyl siding and can be used to cut sheet metal, roofing materials, carpet, plastic and canvas.



36-373

ALUMINUM SCISSORS

Ideal for vinyl siding and can be used to cut sheet metal, roofing materials, carpet, plastic and canvas.



36-374

FEATURES

- Cuts straight, right and left curves in up to 22 gauge cold-rolled steel.
- 3" cutting length for fast shear.
- Protruding blade allows tight and precise cuts.
- Multiple handle openings to accommodate different hand sizes.

INNER QTY: 4 | MASTER QTY: 24

- Cuts straight, right and left curves in up to 22 gauge cold-rolled steel.
- 3" cutting length for fast shear.
- Multiple handle openings to accommodate different hand sizes.
- Rugged and lightweight aluminum design.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
36-374	12" ALUMINUM SCISSORS	3	30
36-375	14" ALUMINUM SCISSORS	4	24

8" MULTI-PURPOSE SHEARS

Ideal for cutting sheet metal and leather.



36-480

8" MULTI-FUNCTION SCISSORS

Ideal for cutting sheet metal, plastic and leather.



36-481

FEATURES

- Stainless steel serrated blade.
- Lightweight and durable anti-slip handles for a comfortable grip.
- Adjustable range blade.

INNER QTY: 6 | MASTER QTY: 36

FEATURES

- Stainless steel serrated blade.
- Includes box cutter, wire cutter, nut cracker and jar opener.
- Includes plastic sheathe.

INNER QTY: 6 | MASTER QTY: 36

10" MULTI-PURPOSE OFFSET SHEARS

Ideal for cutting sheet metal and leather.



36-482

FEATURES

- Stainless steel serrated blade.
- Lightweight and durable anti-slip handles for a comfortable grip.
- Adjustable range blade.

SNAP LOCK PUNCH

Makes tabs in the cut edge of a siding panel used as a finishing course at the top of a wall or below a window.



33-640

18 OZ TINNER'S HAMMER

The perfect hammer for light to medium duty jobs and works well for striking common and finishing nails.



04-880

FEATURES

- All steel construction. Forged cutting jaw holds edge longer and assures a burr free cut.
- Punch impression spaced ¾" from edge of metal.
- Non-slip vinyl cushion handle for a comfortable grip.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
33-640	SNAP LOCK PUNCH	6	48
33-643	SNAP LOCK PUNCH—EASY HANDLE	1	36

FEATURES

- Forged single piece steel head and handle for unsurpassed strength and durability.
- Finely polished head creates a smooth surface.
- Bonded shock reduction grip reduces shock significantly and lowers hand and arm fatigue.

INNER QTY: 6 | MASTER QTY: 18

16 OZ CLAW HAMMER

Standard multi-purpose claw hammer with a forged steel head and fiberglass handle.



04-175

16 OZ HICKORY SHINGLING HATCHET

Durable construction, lightweight and ergonomic handle design. High carbon steel head with hardened face, premium hickory handle with lacquered finish.



04-442

FEATURES

- Durable forged steel head.
- Super strong, ultra-light and anti-vibration fiberglass ergonomic handle.
- Sharp claw for precision and efficiency.
- Ideal for masonry, walls, bricks and concrete.

INNER QTY: 6 | MASTER QTY: 24

FEATURES

- Fixed blade and replaceable gauge.
- Triple wedge construction and milled face.
- Premium hickory handle, flame and lacquer finish.

BEST DAMN HAMMER™ ROOFING HATCHET

Throw out your claw hammers and cedar shake hatchets—introducing the first and only hatchet made for roofers by roofers. Purposely-designed to deal with the unique requirements of shingling. Four unique prying slots can handle anything from staples to long spikes. Black drop-forged steel construction with Primegrip green anti-vibration rubber grip.






04-460

- 1. Magnetic nail holder above the hammer face.
- 2. Unique prying pocket, specially designed to pull 2-inch and longer spikes.
- 3. Teardrop extractor for easy removal of nails under flashing or existing shingle course without damaging surrounding material.
- 4. Sharp blade and slot combo digs under deep nails and staples for easy prying.

INNER QTY: 6 | MASTER QTY: 24



18" MAGNET BROOM

Economical and compact magnet broom, ideal for small areas.



20" SURE-PICK MAGNET BROOM

Helps clean metal debris from hard to reach areas, comes with a removable magnet for easy cleaning.



73-222

FEATURES

- Removable handle for storage and transportation.
- Easy to use on most surfaces.

INNER QTY: 1 | MASTER QTY: 4

FEATURES

- Removable handle and magnet.
- Easy to use on most surfaces.

MAGNET BROOM WITH U-HANDLE

Extra wide 36" magnet broom to cover wide areas.



73-255

FEATURES

- Removable magnet for easy cleaning.
- Easy to use on most surfaces.
- Ergonomically designed U-handle for minimal pushing effort.

INNER QTY: 1 | MASTER QTY: 2

ROOFER'S KNIFE

Standard replaceable blade utility knife. A short, curved grip provides tactile control without sacrificing comfort.



36-274

FEATURES

- Works with standard 2-notch utility blades.
- Brass notched wheel for easy opening and blade change.
- Long-lasting reinforced underside.
- Comes with 3 hook blades and 2 straight blades.
- Includes a durable plastic holder.

INNER QTY: 12 | MASTER QTY: 48

ROOFER'S SHARK KNIFE

Designed for professionals who prefer a longer, straight grip instead of more traditional curved roofing knives.



36-280

2-NOTCH STRAIGHT BLADES

Can be used with most utility and roofing knives to cut felt paper, foam board, insulation and other building materials.



36-253

FEATURES

- Works with any 2-notch utility blades.
- Brass notched wheel for easy opening and blade change.
- The handle is designed to reduce hand and wrist fatigue.
- Robust aluminum body with a polished finish.
- Comes with 1 straight blade.
- Includes a durable plastic holster.

INNER QTY: 12 | MASTER QTY: 72

- Can be used with all Primegrip knives.
- Induction-hardened edge offers 75% longer-lasting blade life.
- Heat treated for strength and induction hardened for longevity.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
36-253	2-NOTCH STRAIGHT BLADES—5 PACK	1	5
36-263	2-NOTCH STRAIGHT BLADES—100 PACK	1	50

2-NOTCH DEEP HOOK BLADES-5 PACK

Can be used with most utility and roofing knives to cut roofing shingles, felt paper, foam board, insulation and other building materials.



36-256

15" UTILITY BAR

Portable lightweight prying bar. Ideal for pulling nails, prying, lifting and scraping.



09-201

FEATURES

- Can be used with all Primegrip knives.
- Induction-hardened edge offers 75% longer-lasting blade life.
- Heat treated for strength and induction hardened for longevity.

PART #	PRODUCT NAME	INNER QTY	MASTER QTY
36-256	2-NOTCH DEEP HOOK BLADES—5 PACK	1	5
36-266	2-NOTCH DEEP HOOK BLADES—100 PACK	1	50

FEATURES

- Contoured shape makes pulling nails, prying, lifting and scraping easier.
- Nail slots at both ends for easy nail removal.
- Forged high-carbon steel for increased strength and durability.

CLAWVERINE

This patented tool is the ultimate solution for cleaning nails from step flashing. Use the prying end to locate nails hidden under step flashing and lift them up slightly. Simply hook the nail into one of the slits in the extractor head, and pivot horizontally against the wall to pull the nail out. Reduces effort and saves money by avoiding damaged step flashing!

BUILT BATTLE STRONG:






09-276

- Sleek, strong and rugged design.
- Rounded extractor head has notches that enable easy removal of nails from tight spots with a single turning motion.
- Bent pry bar end provides increased leverage to lift flashing or pry nails.
- Simple construction allows the Clawverine to fit into any standard tool holder.





- The unique claw head with nail pullers extracts nails without damaging shingles, walls, step flashing and saves you money.
- The raised handle provides additional leverage and prevents damage to hands from work surfaces.
- Hook the nail with one of the extractor slits and pivot horizontally against the wall to pull the nail out.

BEST DAMN RIPPER ROOFING SHOVEL





FEATURES

- Lightweight and durable.
- Pries forwards and backwards for increased productivity.
- Centre wing at the base of the handle allows shingles to slide off effortlessly.
- Patented EZ-Gliders under the blade allow seamless gliding and increased leverage for prying nails, resulting in up to 75% less effort and more efficiency.

PART#	PRODUCT NAME	INNER QTY	MASTER QTY
83-306	36" WITH D-GRIP	1	3
83-307	48" LONG HANDLE	1	3

BEST DAMN RIPPER PRO ROOFING SHOVEL

This completely unique redesign of the Best Damn Ripper™ Roofing Shovel features deep angled side slots on the blade that allow it to easily locate and pry nails from the base of side walls and under step flashing without having to bend over and switch out tools to complete the task. The sharp rear teeth with reduced spacing facilitate complete removal of thinner nails and underlayment staples.





FEATURES

- Pries forwards and backwards for increased productivity.
- Sharp rear teeth with reduced spacing for easy removal of thin nails and staples.
- Deep side slots allow removal of nails from the base of side walls and under step flashing without bending and switching tools.
- Centre wing at the base of the handle allows shingles to slide off effortlessly.
- Lightweight and durable tool with multi-screw design easily replace damaged shafts to get a longer service life.

11/4"×13/4" SINGLE FORK SILICONE ROLLER

Primegrip offers an extensive line of silicone membrane seam rollers in a wide variety of sizes.



72-001

31/2"×11/4" DOUBLE FORK SILICONE ROLLER

Primegrip offers an extensive line of silicone membrane seam rollers in a wide variety of sizes.



72-028

FEATURES

- Heat-resistant silicone seam roller.
- Used to compress roof membranes when effecting seal/ joint.
- Single fork with high quality bearings.
- 1¼" diameter × 1¾" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 48

FEATURES

- Heat-resistant silicone seam roller.
- Used to compress roof membranes when effecting seal/ joint.
- Double fork with high quality bearings.
- 1¼" diameter × 3½" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 24

2"×4" DOUBLE FORK SILICONE ROLLER

Primegrip offers an extensive line of silicone membrane seam rollers in a wide variety of sizes.



72-002

1/4" BRASS PENNY ROLLER

Slim brass roller ideal for sealing roof membrane near edges or tight corners.



72-029

FEATURES

- Heat-resistant silicone seam roller.
- Used to compress roof membranes when effecting seal/ joint.
- Double fork with high quality bearings.
- 2" diameter × 4" width.
- Birch wood handle.

INNER QTY: 2 | MASTER QTY: 12

FEATURES

- Nickel-plated roller mounting and convex brass roller.
- 30 mm diameter.
- Birch wood handle.

2-IN-1 SILICONE/PENNY ROLLER

Double-end combination seam roller and penny roller.



72-030

2"×2" SINGLE FORK STEEL ROLLER

Primegrip offers an extensive line of steel membrane seam rollers in a wide variety of sizes.



72-032

FEATURES

- Single fork with enclosed bearings.
- 1½"×1¾" silicone roller, 1½"×½" brass penny roller.
- 5" birch wood handle.

INNER QTY: 6 | MASTER QTY: 48

FEATURES

- Heavy duty steel seam roller.
- Used to compress roof membranes when effecting seal/ joint.
- Single fork with high quality double brass bearings.
- 2" diameter × 2" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 18

2"×4" DOUBLE FORK STEEL ROLLER

Primegrip offers an extensive line of steel membrane seam rollers in a wide variety of sizes.



72-035

SEAM PROBE

Small probing tool to check adhesion of membrane seams.



72-010

FEATURES

- Heavy duty steel seam roller.
- Used to compress roof membranes when effecting seal/ joint.
- Double fork with high quality double brass bearings.
- 2" diameter × 4" width.
- Birch wood handle.

INNER QTY: 6 | MASTER QTY: 12

FEATURES

- Heat-treated high carbon steel blade with rounded corners, minimizing chance for damage when inspecting welded seams.
- Angled blade for clearance for hands and knuckles.
- Lightweight and durable plastic handle.

TEFLON-COATED SCISSORS

11" Teflon-coated stainless steel scissors ideal for cutting glued papers, fabrics or adhesive tapes.



2" CORE CUTTERS

Specialty tool designed to take roof test cuts easily and efficiently.



22-402

FEATURES

- Serrated edge holds fabrics for a precise cut.
- Ergonomic handle is easy on the hands.
- Perfect for cutting sticky material like tape, building wraps and roof membranes.

INNER QTY: 4 | MASTER QTY: 24

FEATURES

- Precision machined, sharpened and heat treated for long life.
- The specially hardened teeth can be resharpened.
- Removable handles for easy transport and storage.

INNER QTY: 1 | MASTER QTY: 12

2"×5" MARGIN TROWEL

Square blade roofing trowel for mod bit applications.



71-005

EXTENDABLE ALUMINUM ROLL PULLER

The Primegrip roll puller allows roofers to pull a granular modified bitumen membrane roll while torching the application point.



72-207

FEATURES

- Wooden handle.
- Ideal flexibility and grip for mod bit applications.
- Works as a 2" measuring tool for mod bit overlap margin.

INNER QTY: 12 | MASTER QTY: 72

FEATURES

- Feather light aluminium construction.
- Cushion grip.
- Extendable from 3' to 4'.

TITANIUM FIELD TORCH KIT

CSA certified premium roofing torch kit with a titanium burner, 24 inch wand and our Elite Torch Handle. The included accessories in this kit make this torch ready to go right out of the box.



88-344

FEATURES

- All components are CSA certified.
- 88-103 | Elite Torch Handle with side-mounted brass knobs for smooth one-handed flame adjustment.
- 88-106 | 60 psi Adjustable Regulator.
- 88-111 | 24" Torch Wand with Integrated Stand.
- 88-302 | 70 mm Titanium Burner.
- 88-413 | Single Flint Spark Lighter.
- 88-415 | 25' Rubber Propane Hose.

INNER QTY: 1 | MASTER QTY: 2

31/2" SPUD BAR

Spud bar with 57" D-grip. Ideal for removal of gravel, slag, old roofing, etc.



FEATURES

- Welded steel for maximum strength.
- Replaceable pre-hardened carbon steel blades.

INNER QTY: 1 | MASTER QTY: 6

7" SPUD BAR

Spud bar with 57" D-grip. Ideal for removal of gravel, slag, old roofing, etc.



FEATURES

- Welded steel for maximum strength.
- Replaceable pre-hardened carbon steel blades.

31/2" SPUD BAR BLADE

Heat-treated flexible blades resist breaking.



06-867

7" SPUD BAR BLADE

Heat-treated flexible blades resist breaking.



06-868

• Heat-treated flexible blades resist breaking.


INNER QTY: 50 | MASTER QTY: 200

• Heat-treated flexible blades resist breaking.

INNER QTY: 50 | MASTER QTY: 100

13" ROTATABLE SKELETON-TYPE GUN

Economical skeleton-type caulking gun designed for easy loading and a professional finish.



45-127

SKELETON-TYPE GUN

9" half-barrel caulking gun. Suitable for light-to-medium applications of glazing, sealing or caulking.



45-121

FEATURES

- Powder-coated iron construction with aluminum handle.
- 1200 N pushing force.
- 12:1 thrust ratio.
- Built-in seal punch.
- Built-in lanyard loop for work at heights.

INNER QTY: 6 | MASTER QTY: 12

FEATURES

- Quick-twist pressure release. Hex rod.
- Ladder hook at rear end of push rod.
- Aluminum handle. Built-in seal punch under rail.
- Orange steel frame and black handle.

91/2" PAINT ROLLER REFILL

General purpose paint roller refill, ideal for standard paint jobs.



38-197

91/2" PAINT ROLLER CAGE FRAME

General purpose paint roller, ideal for standard paint jobs.



38-198

FEATURES

- For use on walls, doors and lightly textured wood.
- 10mm pile thickness.

INNER QTY: 1 | MASTER QTY: 100

FEATURES

- For use on walls, doors and lightly textured wood.
- 5-wire cages are threaded for extension poles.

INNER QTY: 1 | MASTER QTY: 48

LADDER STABILIZER STRAPS

Secure your ladder against movement. Simply wrap the straps around each ladder leg, nail the plate into the roof deck and tighten until secure.



73-343

1/4"×50' POLYURETHANE AIR HOSE

Lightweight and flexible air hose ideal for applications where dragging a heavy hose is difficult or not preferred.



31-010

FEATURES

- Easy installation.
- Minimizes lateral movement or rocking.
- Solid zinc cam buckles.
- Can be used with most roofing materials.
- Helps protect gutters and roof edges.

INNER QTY: 6 | MASTER QTY: 36

FEATURES

- Easily maneuverable lightweight polyurethane.
- Ideal for non-marring requirements such as flooring.
- Resistant to abrasion, weathering, tearing, impact, oils, grease and fuels.
- Excellent weather flexibility; from -20°C up to 70°C.
- 300 psi maximum working pressure.
- 1/4" NPT connectors with coupler and male plug.



MASTER DISTRIBUTOR



1719 Baseline Ct Fort Myers, FL 33905

T: 239-599-8527 F: 239-599-8545 Toll-Free: 855-800-8878 orders@directmetalsinc.com DIRECTMETALSINC.COM

